

# HIGHPOWER<sup>®</sup> TAPE

## YIWU HIGHPOWER TAPE CO.,LTD.

### 义乌市华拓胶带有限公司



<http://www.highpowertape.com>

Add:International Trade City F2-14198,(near west 29# door),2Floor,4Street Yiwu,China

Add:Dongfang mansion west tower 25-7,181#Binwang Road,Yiwu city,Zhejiang,China

Tel:0579-85182210 Fax:0579-85163791

Tel:13566973626(Allan) 18057998626(Harun AL-Rasheed)

E-mail:highpowertape@163.com highpower@toppowertape.com

QQ:2764382169 254170213 744108766

# HIGHPOWER<sup>®</sup>



Allan  
13566973626



Harun AL-Rasheed  
18057998626


# 01 DRYWALL JOINT FIBERGLASS MESH TAPE (玻璃纤维接缝网格带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1250	50mmX20m	144rolls/ctn	52x35x32	11.3
HP1251	50mmx45m	72rolls/ctn	65x43x32	22
HP1252	50mmx90m	72rolls/ctn	60x45x32	22
HP1253	100mmx20m	72rolls/ctn	52x53x32	11.3
HP1330	50mmx153m	36rolls/ctn	57x38x32	18.7

If other special size you need to make,PLS contact with our company.

Fiberglass Self-Adhesive Mesh Drywall Joint Tape for drywall joints, crack and hole repairs.  
Self-adhesive design for easy application.  
Perfect for both professionals and do-it-yourselfers.

- 玻璃纤维自粘网格干墙接缝胶带适用于石膏板接缝、裂纹和孔修复。
- 自粘设计，易于粘贴。非常适合专业人士和自己动手使用。



# 02 FIBERGLASS MESH (玻璃纤维网布)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1075	1mx50mx45g/m²	6rolls/ctn	33x22x102	14
HP1076	1mx50mx75g/m²	6rolls/ctn	43x92x102	23.5
HP1077	1mx50mx90g/m²	6rolls/ctn	44x33x102	28
HP1078	1mx50mx110g/m²	4rolls/ctn	31x31x102	23
HP1079	1mx50mx125g/m²	4rolls/ctn	33x33x102	26
HP1080	1mx50mx145g/m²	2rolls/ctn	34x17x102	15.5
HP1081	1mx50mx160g/m²	2rolls/ctn	35x17.5x102	17

If other special size you need to make,PLS contact with our company.

Fiberglass mesh is characterized by both low weight and high strength. these properties allow it to be successfully used in the formation of plaster facades, as well as use on internal wall and ceiling surfaces.  
has a high resistance to tearing and stretching, protects the surface from cracking and improves its mechanical strength.

- Easy to handle and use.
- 玻璃纤维网是具有重量轻、强度高的特点。这些特性使其能够成功地用于石膏外墙的形成以及内墙和天花板表面。
- 具有较高的抗撕裂和抗拉伸性，保护表面不开裂，提高其机械强度。易于操作和使用。







# 03 MASKING TAPE (美纹纸胶带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP2249	18mmx40m	192rolls/ctn	44.5x33.5x32	13.3
HP2251	24mmx20y	432rolls/ctn	64.5x43x50.5	24
HP2259	24mmx50y	288rolls/ctn	64.5x43x50.5	24
HP2256	36mmx25y	256rolls/ctn	44x44x63	24.5
HP2260	36mmx50y	256rolls/ctn	49x49x63	45
HP2253	48mmx20y	192rolls/ctn	43x43x62	18
HP2261	48mmx50y	192rolls/ctn	49x49x63	45
HP2123	18mmx30m	192rolls/ctn	44.5x34x30	10.8
HP2124	24mmx30m	144rolls/ctn	44.5x34x30	10.8
HP2125	36mmx30m	96rolls/ctn	44.5x34x30	10.8
HP2126	48mmx30m	72rolls/ctn	44.5x34x30	10.8

If other special size you need to make,PLS contact with our company.

- When removed, it doesn't leave residue, and it doesn't damage the surface it was attached to. if you apply masking tape to a painted surface, you can later remove it without peeling off the paint
- ▶当它被移除时，不会留下残留物，也不会损坏它所附着的表面
  - ▶如果您在油漆表面使用遮蔽胶带，您可以稍后将其移除而不会剥离油漆。



# 04 PAINT MASKING FILM (喷漆保护膜)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1649	550mmx25m	144rolls/ctn	37x37x38.5	20.5
HP1650	1100mmx25m	72rolls/ctn	37x37x30	13
HP1651	1400mmx25m	72rolls/ctn	37x37x40.5	20
HP1652	1800mmx25m	36rolls/ctn	38x38x21	14
HP1653	2400mmx15m	36rolls/ctn	38x38x21	10.2
HP1654	2700mmx15m	36rolls/ctn	38x38x21	12.5
HP1658	4mx5m	144rolls/ctn	45x27x36	14

If other special size you need to make,PLS contact with our company.

Wide Range of Applications: painting plastic covering is suitable for both indoor and outdoor use; Whether you are painting walls, ceilings, floors, or outdoor surfaces, this versatile film provides reliable protection

masking film for painting is made of PE material, tear resistant and provides protection against paint splatters and drips

- ▶适用范围广：涂装塑料覆盖物适合室内外使用；无论你是粉刷墙壁、天花板、地板，或户外表面，这种多功能的薄膜提供可靠的保护。
- ▶喷漆遮蔽膜由PE材料制成，抗撕裂，防止油漆飞溅滴下



# 05 FLEXIBLE METAL CORNER TAPE (金属护角带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1256	50mmx25y	20rolls/ctn	42x42x28.5	21.6
HP1255	50mmx30m	10rolls/ctn	42x21x28.5	14
HP1258	50mmx25m	10rolls/ctn	42x42x28.5	12
If other special size you need to make,PLS contact with our company.				

corner tape is made with hith quality paper and two reinforcing strips of metal, galvanized steel or aluminum stripes. It is easy application and provides permanent protection for corner. The corner tape is easier to use than traditional metal corner bead. It ispacked in rollsmaking it easier to merchandise and transport, it also reduce waste and cost.

The customers can cut only the size they need.

- ▶护角带是用优质的纸和两条金属、镀锌钢或铝条加固而成的。它易于应用，并为角落提供永久保护。
- ▶护角带比传统的金属角珠更容易使用。它是卷包装的便于商品和运输，也减少了浪费和成本。
- ▶顾客可以只剪他们需要的尺寸



# 06 PVC CORNER TAPE (PVC护角带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1544	50mmx18m	48rolls/ctn	60x31x32.5	25
HP1545	50mmx25y	36rolls/ctn	49x33x32	26.5
HP1547	50mmx30m	24rolls/ctn	37x37x32	21
HP1548	50mmx40m	24rolls/ctn	42x42x32	28
If other special size you need to make,PLS contact with our company.				

This pvc corner tape improves corner strength, making corners straighter, firmer and clearer at 90 degrees.

Completely protects drywall inside and outside corners from abrasion and damage, creating clean, crisp corner lines. It is widely dely used for home renovation, residential remodeling, workshop renovation, old house renovation.

- ▶这种PVC护角带提高了角的强度，使角在90度时更直，更牢固
- ▶完全保护干墙内外角免受磨损和损坏，创造干净，清晰的角线。
- ▶它可以修复墙壁上的裂缝，使其更均匀，如天花板，餐厅墙壁等广泛应用于家居装修、住宅改造、车间装修、旧房装修。





## 07 JOINT PAPER TAPE ( 接缝纸带 )

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1132	50mmx23m	72rolls/ctn	49x33x32	26.5
HP1420	50mmx50m	48rolls/ctn	57x29x32	17
HP1254	50mmx75m	36rolls/ctn	37x37x32	21
HP1255	50mmx150m	20rolls/ctn	42x42x32	28

If other special size you need to make,PLS contact with our company.

Non-adhesive paper drywall joint tape -Joint paper tape contains super tensile fibers for high strength to help prevent tearing, wrinkling or stretching Rough surface, stronger adhesion when

- ▶ 不粘纸干墙接缝带-接缝纸带含有超强拉力纤维为高强度，有助于防止撕裂、起皱或拉伸表面粗糙时，附着力更强



## 08 FIBERGLASS TISSUE CLOTH TAPE ( 无纺布带 )



ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1259	50mmx25m	144rolls/ctn	67x46x32	9
HP1260	100mmx25m	72rolls/ctn	67x46x32	9
HP2239	100mmx10m	144rolls/ctn	53x53x54	11
HP1429	50mmx75m	72rolls/ctn	72x54x32	13
HP1507	1mx50m	6rolls/ctn	51x33x102	15

If other special size you need to make,PLS contact with our company.

Fiberglass Tissue is widely used for water proofing, damp proofing, pipe coating, battery separators and paint reinforcement.

The fiberglass surface is chiefly used in the product with complicated geometric curve, it has the advantages of good pattern fitness, quick resin permeating, it can raise the intensity and corrosion resistance of the products.

- ▶ 玻璃纤维无纺布带广泛用于防水、防潮、管道涂层、电池隔板和油漆加固。
- ▶ 玻璃纤维表面主要用于具有复杂几何曲线的产品，它具有图案适应性好树脂渗透快的优点，可以提高产品的强度和耐腐蚀性。





# 09 FLASHBAND (沥青防水胶带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1275	50mmx2.5m	72rolls/ctn	46x35x32	20
HP1941	50mmx5m	48rolls/ctn	47x35x32	25
HP1916	50mmx10m	24rolls/ctn	35x35x32	24
HP1917	75mmx10m	16rolls/ctn	35x35x32	24
HP1918	100mmx10m	12rolls/ctn	35x35x32	24
HP1948	50mmx10m	24rolls/ctn	35x35x32	30
HP1949	75mmx10m	16rolls/ctn	35x35x32	30
HP1950	100mmx10m	12rolls/ctn	35x35x32	30

If other special size you need to make,PLS contact with our company.

the roof flashing is waterproof, which can withstand bad weather to some extent; After applying it, the asphalt will gradually penetrate into existing crack and completely fill them, offering you a nice using experience  
the waterproof seam tape is suitable for various occasions, such as roof, windows, gutters, panels, chimneys and other indoor or outdoor occasions, which can help you to do your repair work

►屋面闪板防水，能在一定程度上抵御恶劣天气;使用后，沥青会逐渐渗透到现有的裂缝中，并完全填满裂缝，给你一个很好的使用体验，防水缝带适用于各种场合，如屋顶，窗户，排水沟，面板，烟囱等室内或室外场合，可以帮助您做好维修工作



# 10 BUTYL WATERPROOF TAPE (丁基防水胶带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP2085	50mmx5m	36rolls/ctn	37x25x32	15
HP2086	75mmx5m	24rolls/ctn	37x25x32	15
HP2087	100mmx5m	18rolls/ctn	37x25x32	15
HP2088	150mmx5m	12rolls/ctn	37x25x32	15
HP2089	200mmx5m	6rolls/ctn	37x25x32	10
HP2090	300mmx5m	6rolls/ctn	37x25x32	15

If other special size you need to make,PLS contact with our company.

This waterproof tape can be widely applied in sealing RV roof metals, motorhomes, trailers, buses, canoes, outdoor equipment, mobile homes, PVC & plumbing pipes, doors, walls, seams, vents, air ducts, HVAC systems, DIY projects, EPDM Rubber Roof Patching, etc.

►该防水胶带可广泛应用于房车屋顶、金属、房车、拖车、公共汽车、独木舟、户外设备、移动房屋、PVC及管道、门、墙、接缝、通风口、风管、暖通空调系统、DIY工程、屋顶修补等。






# 11 WATERPOOF TAPE (防水胶带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1151	100mmx1.5m	100rolls/ctn	47x37.5x52	21
HP1120	200mmx1.5m	48rolls/ctn	56x38x42	20
HP1124	300mmx1.5m	24rolls/ctn	56x38x32	16

If other special size you need to make,PLS contact with our company.

FLEXPOWER TAPE is a super strong, rubberized, waterproof tape that can patch, bond, seal and repair virtually everything! can be applied hot or cold, wet or dry, even underwater!that conforms to any shape or object!

- ▶这是一种超强的橡胶防水胶带，可以贴片，粘合，密封和修复几乎所有东西
- ▶可以应用于热或冷，湿或干，甚至在水下！符合任何形状或物体！



# 12 WATERPOOF REPAIR SEAL (防水胶)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP2316	300g/Transparent	72tank/ctn	50x34x32	24
HP2317	300g/White	72tank/ctn	50x34x32	24
HP2318	300g/Black	72tank/ctn	50x34x32	24
HP2319	300g/Blue	72tank/ctn	50x34x32	24
HP2320	300g/Rad	72tank/ctn	50x34x32	24
HP2321	300g/Green	72tank/ctn	50x34x32	24
HP2322	300g/Gray	72tank/ctn	50x34x32	24
HP2323	300g/Orange	72tank/ctn	50x34x32	24

If other special size you need to make,PLS contact with our company.

- Waterproof Glue Sealant Clear 300g, Invisible Waterproof Agent, Super Strong Invisible Waterproof Anti-Leakage Agent, Waterproof Coating Suitable for Indoor and Outdoor Joints, Cracks and Leaks
- ▶防水胶密封胶透明300g，隐形防水剂，超强隐形防漏剂，适用于室内外接缝、裂缝、渗漏的防水涂料





# 13 WATERPROOF SEAL STRIP (厨卫防水带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1476	22mmx3.2m	144rolls/ctn	57.2x49.5x29	23.5
HP1477	38mmx3.2m	72rolls/ctn	49.2x42.2x33	20
HP1478	60mmx3.2m	48rolls/ctn	49.6x42.2x29	21.6

If other special size you need to make,PLS contact with our company.

The sealing tape can be widely used inkitchen gas, bathroom sink, bathtub edges, walls and the gap between the corner of the floor.  
Creates a moisture-proof barrier around sinks and keeps dirt from hiding under base plates.No tools needed, just peel off the plastic film on the

- ▶该密封胶带可广泛用于厨房燃气、浴室、水槽、浴缸的边角、墙面与地板的缝隙之间。
- ▶在水槽周围形成防潮屏障，防止污垢隐藏在底板下。不需要任何工具，只需剥去塑料薄膜



# 14 PTFE THREAD SEAL TAPE (生料带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1204	12mmx10m	2400rolls/ctn	62.5x52.5x35	17.5
HP1107	18mmx10m	2000rolls/ctn	53x53x53.5	21.5
HP1203	24mmx10m	1440rolls/ctn	64.5x52.5x63	18.5
HP1206	19mmx15m	500rolls/ctn	44.5x44.5x54	18.5
HP1367	12mmx10m	2000rolls/ctn	58.5x58.5x38.5	21
HP1369	19mmx20m	500rolls/ctn	44.5x44.5x54	22.5
HP1108	12mmx12m	1440rolls/ctn	93x25x48	20
HP1109	19mmx15m	576rolls/ctn	63x49.5x35.8	23
HP1110	19mmx50m	288rolls/ctn	81x30.5x36.3	16

If other special size you need to make,PLS contact with our company.

Sealant tape is made of PTFE with good tightness , PTFE tapes will not harden or crack anytime; They have the good characteristics of sealin, corrosion resistance, anti-aging, prevent leaks on pipes and plumbing. Non-toxic and Non-flammable.  
Simply wrap the tape around the male pipe threaded end or connector and screw it in; Less stickiness on the fingers and easy to remove.

- ▶密封胶带采用聚四氟乙烯材料制成，密封性好，不硬化、不开裂；具有良好的密封性、耐腐蚀性、抗老化、防止管道和管道泄漏等特点。无毒、不易燃。
- ▶将胶带绕在外管螺纹端或接头上旋紧即可；手指不粘手，易去除。





## 15 PVC ELECTRICAL TAPE (PVC 电工胶带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP0078	18mmx10mx0.13mm	500rolls/ctn	60.5x30.5x19	19
HP2096	18mmx10yx0.13mm	500rolls/ctn	61x31x20	19.4
HP2216	18mmx10yx0.13mm	1000rolls/ctn	60x59x21	30
HP2188	18mmx10yx0.15mm	500rolls/ctn	67.5x41x22	18.2
HP0079	18mmx20mx0.15mm	300rolls/ctn	46x38.5x19	25
HP2097	18mmx20mx0.13mm	300rolls/ctn	44x42x24	23.5
HP0075	15mmx20mx0.18mm	200rolls/ctn	41.5x33x16.5	16
HP0076	17mmx25mx0.18mm	200rolls/ctn	43.5x35x18.5	21.2
HP1772	19mmx20mx0.18mm	200rolls/ctn	40x33x20	19.7

If other special size you need to make,PLS contact with our company.

COLOR : ☐ ☒ ☐ ☐ ☐ ☐ ☐ ☐

PVC Electrical Tape is a type of adhesive tape used to insulate, protect, bundle, and color-code electrical wires for wiring operations.

These PVC sheets are highly elastic and give the PVC tape ability to stretch and adapt to the electrical wiring as needed.

- ▶ PVC电工胶带是一种用于绝缘、保护、捆扎和配线操作彩色编码电线的胶带。
- ▶ 这些PVC片材具有很高的弹性，使PVC胶带能够根据需要拉伸和适应电线。



## 16 WIRE HARNESS TAPE (线束胶带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1573	19mmx15m	300rolls/ctn	56x47x21	13.7
If other special size you need to make,PLS contact with our company.				

the wire harness tape is made of polyester non woven fabric material, quality pressure sensitive adhesive, high temperature and wear resistance, which can be applied for a long time

the adhesive fabric tape has nice noise reduction and heat insulation performance, very suitable for automotive engine and circuit maintenance to achieve the purpose of insulation protection the cloth electrical tape is suitable for automobile interior noise reduction part, such as instrument panel harness and main harness wound, and can also be applied for wire joint and wire fixing

- ▶ 线束胶带采用聚酯无纺布材料，优质压敏胶，耐高温耐磨，可长期使用
- ▶ 不干胶织物胶带具有良好的降噪和隔热性能，非常适用于汽车发动机和电路维修达到绝缘保护的目的
- ▶ 布制电气胶带适用于汽车内饰降噪部分，如仪表板线束、主线束绕线等，也可用于 电线连接、固定



### Car engine wiring harness winding



## Organize storage



easy to tera



Computer case harness



Winding tool





# 17 PVC DUCT TAPE (PVC管道胶带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1317	48mmx12m	144rolls/ctn	43.5x29x30	24.3
HP1316	48mmx30m	100rolls/ctn	41x33x25.5	20.5

COLOR : ○ ● ●

If other special size you need to make,PLS contact with our company.

Using high-viscosity glue, wrap duct tape can stick to the pipe and will not fall off easily. Wrap pipe tape can effectively protect pipes from corrosion, or protect wires and plugs and play an insulating role

- ▶使用高粘度胶水，缠绕胶带可以粘在管道上，不易脱落。
- ▶管道胶带可以有效保护管道不受腐蚀，或保护电线和插头，起到绝缘作用。



# 18 AIR CONDITION TAPE (空调扎带)


ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1583	60mmx12m	144rolls/ctn	40.5x27.5x37.5	22

If other special size you need to make,PLS contact with our company.

COLOR : ● ● ○ ●

The mini split line wrap is suitable for electrical equipment and supplies, electronic parts and supplies, connectors, machine tools and accessories, wires, etc. which can effectively prevent leakage, reliable to use. The insulating tape for ac unit adopts PVC material, which has high reliability.

- ▶适用于电气设备及用品、电子零件及用品、连接器、机床及附件、电线等。
- ▶有效防止泄漏，使用可靠。交流机组绝缘胶带采用PVC材料可靠性高。





# 19 RUBBER SPLICING TAPE (防水绝缘橡胶带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP0023	24mmx5m	120rolls/ctn	40.5x31x29.5	19.7
HP0035	48mmx5m	60rolls/ctn	40.5x31x29.5	19.7
HP1796	19mmx9.1m	100rolls/ctn	59.5x24.5x23	22

If other special size you need to make,PLS contact with our company.

Repair the outdoor antenna wire and cable, quickly repair the leakage pipe, to solve the sewer leakage trouble, emergency hose repair etc.  
Made of rubber material, High temperature resistance, with a certain insulation properties, durable and environmental protection.Easy to apply, easy to remove no messy adhesive, sticks only to itself, forms permanent bond.

- ▶ 室外天线电线电缆的修复，漏水管道的快速修复，解决下水道漏水问题，应急软管的修复等。
- ▶ 采用橡胶材料制成，耐高温，具有一定的绝缘性能，经久耐用，环保。易于涂抹，易去除，不乱粘，只粘在自己身上，形成永久粘接。



# 20 SILICONE TAPE (硅胶带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1476	25mmx3mx0.5mm	288rolls/ctn	63x58x39.5	22

If other special size you need to make,PLS contact with our company.  
COLOR : ● ● ○ ● ● ●

resistance:-55℃ to250℃ Excellent insulation, ozone, UV and aging resistantEasy to install by hand, no need heating and special tools  
High reliability with excellent physical,chemical and electricalproperty  
Insulation protection for any shape of electrified body,no need free ends Insulationprotection for power system in places whrer fire can't be used,like oil field and chemical industry

- ▶ 耐高温：-55至250 优异的绝缘性、耐臭氧、耐紫外线、耐老化易于手工安装，无需加热和专用工具可靠性高，具有优异的物理、化学和电气性能。
- ▶ 对任何形状的带电体进行绝缘保护，不需要自由端油田、化工等不能使用火的场所电力系统的绝缘保护





## 21 ANTI-SLIP TAPE (防滑胶带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1225	25mmx5m	144rolls/ctn	47x36x33	16.6
HP1227	50mmx5m	72rolls/ctn	47x36x33	16.6
HP1442	50mmx10m	72rolls/ctn	55x42x32	33
HP1405	25mmx18m	72rolls/ctn	56x38x33	29.5
HP1406	36mmx18m	48rolls/ctn	56x38x33	29.5
HP1407	50mmx18m	36rolls/ctn	56x38x33	29.5
HP1228	15cmx60cmx2pcs	72rolls/ctn	66.5x33x16	23

If other special size you need to make,PLS contact with our company.

COLOR : ●●●●●●●●

High-quality waterproof anti-slip tape uses a strong adhesive, having grit surface, increasing surface friction, provides a excellent traction that lasts, giving you extra protection.

Ensure the safety of your family.

This waterproof grip tape is perfect for indoor outdoor steps, stairs, ladders, buses, trailers, entryways, decks, ladders, plastic, tile, patios, ceramic tile, wood, metal, plastic, floors.

- ▶ 高品质防水防滑胶带采用强力粘合剂，表面有砂砾，增加表面摩擦力，提供持久的优异牵引力，为您提供额外的保护。确保家人的安全。
- ▶ 此防水胶条适用于室内外台阶，楼梯，梯子，公共汽车，拖车，入口通道，甲板，梯子，塑料，瓷砖，天井，瓷砖，木材，金属，塑料，地板。



## 22 BATHROOM ANTI-SLIP TAPE (浴室防滑胶带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1286	2cmx38cmx6pcs	576rolls/ctn	48x43x33	30.6
HP1284	2cmx25cmx8pcs	576rolls/ctn	59x31x31	25.5

COLOR : ●●●●●●●●


If other special size you need to make,PLS contact with our company.

Fast sticking on the surface under the pressure of usage,high stability and durability, waterproof,temparature endurance.

Excellent performance characteristics that can reduce injury due to unnecessary slips and falls, durable grit, resists oil, water

These stickers are designed to stick firmly on smooth surfaces offering a strong adhesion and a great grip. This, further, provides you with a long-lasting slip and fall protection. The special glue used for these stickers can easily be removed without leaving any residue behind.



- ▶ 在使用压力下快速粘在表面，稳定性和耐用性高，防水，耐温。
- ▶ 优异的性能特点，可以减少不必要的滑倒伤害，持久磨砂，耐油，耐水
- ▶ 这些贴纸被设计成牢牢地粘在光滑的表面上，提供强大的附着力和抓地力，这进一步为您提供持久的滑倒保护。用于这些贴纸的特殊胶水可以很容易地去除，不会留下任何残留物。





## 23 PVC WARNING TAPE (PVC警示胶带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1735	48mmx25m	72rolls/ctn	44x33x29.5	21
HP1184	48mmx33m	72rolls/ctn	48x36x29.5	26

COLOR :   

If other special size you need to make,PLS contact with our company.

Safety tape with a highly visible two-tone pattern of alternating black and yellow stripes provides a visual barricade to block off designated areas


Provides color-coding, and floor and aisle marking; used for safety warning in industrial environments, such as fields, plants, and warehouses

- ▶ 带有黑色和黄色相间条纹的高度可见双色图案的安全胶带，提供视觉障碍，以封锁指定区域
- ▶ 提供颜色编码，地板和通道标记；用于工业环境中的安全警示，如田地、厂房、仓库等






### Wide Application

Widely used at warehouse, factory, school, office



## 24 PE WARNING TAPE (PE警示胶带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1460	50mmx100m	144rolls/ctn	63x42x32	22
HP1229	50mmx200m	72rolls/ctn	49.3x37.5x32	22
HP1525	50mmx300m	24rolls/ctn	48x36x32	24
HP1297	50mmx500m	36rolls/ctn	51x51x32	31

COLOR :   

If ther special size you need to make,PLS contact with our company.

It is mainly used for marking dangerous areas and special instructions, such as traffic, painting, construction working site, the fields of law enforcement, investigation zones and utilities.

- ▶ 主要用于标示危险区域和特殊指示，如交通、油漆、建筑工地、执法、侦查区、公用事业等领域。





# 25 ALUMINUM FOIL TAPE (铝箔胶带)


ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1181	48mmx10m	144rolls/ctn	55.5x37.5x30.5	11
HP1466	48mmx30m	72rolls/ctn	44.5x34.5x30	15
HP1193	48mmx20m	72rolls/ctn	42.5x32x30.5	13.5
HP1999	48mmx30m	72rolls/ctn	44x33.5x30.5	14
HP1439	48mmx30m	72rolls/ctn	49.5x37.5x30	20

If ther special size you need to make,PLS contact with our company.

The aluminum tape itself does not wrinkle and curl and is easier to work and saves you time. Paste more firmly, tear off more easily, leave no trace without residual glue.

It is generally used for sealing hot and cold air ducts, pipe insulation systems, sealing aluminum, stainless steel and plastic joints/joints, temporary repair of metal surfaces, copper pipe fixing, etc.

- ▶ 铝胶带本身不会起皱和卷曲，更容易工作，节省您的时间。粘贴更牢固，撕下更容易，不留痕迹，无残胶
- ▶ 一般用于密封冷热风管(优良暖通胶带)、管道保温系统、密封铝、不锈钢及塑料接头/接头、金属表面临时修补、铜管固定等。



# 26 DUCT TAPE (布基胶带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1230	48mmx9.1m	144rolls/ctn	58x39x30	16
HP1662	48mmx10m	72rolls/ctn	38.5x29x30.5	8.5
HP1231	48mmx20m	72rolls/ctn	43x32.5x30	14
HP1669	48mmx20m	72rolls/ctn	44.5x34x30.5	16
HP1233	48mmx25m	72rolls/ctn	46x35x30	18.5
HP1232	48mmx55m	48rolls/ctn	56.5x28.5x30.5	21

If other special size you need to make,PLS contact with our company.

It's got a waterproof backing that can handle just about any weather you throw at it--hot or cold, sunshine, rain, or even snow. Duct tape is engineered to strike the ideal balance between strength and flexibility. Just right for repairs around nooks, crannies, and crevices. And one more thing, our tape is easy to tear by hand--no scissors required.

- ▶ 它有一个防水的背衬，可以应对任何天气——炎热或寒冷，阳光，下雨，甚至下雪。
- ▶ 布基胶带的设计是为了在强度和灵活性之间取得理想的平衡。适合修补角落、缝隙和裂缝。还有一件事，我们的胶带很容易用手撕扯——不需要剪刀。





# 27 STRAPPING TAPE (玻璃纤维捆扎胶带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1218	18mmx30m	192rolls/ctn	47x36x31.5	19
HP1219	24mmx30m	144rolls/ctn	47x36x31.5	19
HP1220	36mmx30m	96rolls/ctn	47x36x31.5	19
HP1221	48mmx30m	72rolls/ctn	47x36x31.5	19

If other special size you need to make,PLS contact with our company.

Filament strapping tapes with reinforced backings that render heavy duty strapping and bundling performance.

They are suitable for strapping of pallets during shipping, ensuring shelves and trays are held in place during movement of fridges or display cabinets and bundling steel coils during storage.

- ▶ 具有增强背衬的长丝捆扎带，可提供重型捆扎和捆扎性能。
- ▶ 它们适用于在运输过程中捆扎托盘，确保货架和托盘在冰箱或展示柜移动期间保持到位，并在存储过程中捆扎钢卷。



Metal binding



Warehousing logistics use



Palletizing and fixing



Repair and seal



# 28 LUMINOUS TAPE (夜光胶带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1487	18mmx5m	384rolls/ctn	61x41x33	21
HP1488	24mmx5m	288rolls/ctn	61x41x33	21
HP1489	36mmx5m	192rolls/ctn	61x41x33	21
HP1490	48mmx5m	144rolls/ctn	61x41x33	21



If other special size you need to make,PLS contact with our company.

Mark treacherous steps so even your guests can find their way in the dark.

Always find the breaker box when the power goes out.Your glow tape is a permanent fix for workplace challenges and hazards. Avoid mishaps.

Your fluorescent tape is designed to last long indoors or out.

- ▶ 标记出危险的台阶，这样即使是你的客人也能在黑暗中找到路。
- ▶ 停电时一定要找到断路器。你的发光胶带可以永久解决工作场所的挑战和危险。避免不幸。
- ▶ 荧光胶带的设计可以在室内或室外使用很长时间。





## 29 REFLECTIVE TAPE (反光胶帶)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1394	25mmx5m	288rolls/ctn	62x42x33	25
HP1395	50mmx5m	144rolls/ctn	62x42x33	25
HP1171	50mmx18m	48rolls/ctn	48x33x44	27
HP1390	50mmx50m	24rolls/ctn	46x46x37	32
HP1716	50mmx50mmx60pcs	144rolls/ctn	58x39x35	19

If other special size you need to make, PLS contact with our company.

COLOR :          

reflective safety tape reflect light better in the dark, the high reflective tape gives you extra security while you driving at night.

Most people use it for walls, posts, signs ,mailboxes, power/electric poles,Trailers ,Cars, Trucks, RVs, campers, Boats, or any application that requires bright safety reflective tape.

- 反光安全胶带在黑暗中反光效果更好，高反光胶带在夜间驾驶时为您提供额外的安全性。
- 大多数人将其用于墙壁，柱子，标志，邮箱，电源/电线杆或拖车，汽车，卡车，房车，露营车，船，任何需要亮安全反光胶带的应用



## 30 EPDM DOOR&WINDOW WEATHER STRIP (EPDM 门窗密封条)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1262	9mmx6mmx6m	144rolls/ctn	50x34x51	24
HP1189	9mmx6mmx10m	144rolls/ctn	59x39x52	23
HP1265	9mmx6mmx100m	8rolls/ctn	47x47x49	14
HP1265	12mmx10mmx50m	8rolls/ctn		
HP1265	12mmx14mmx40m	8rolls/ctn		

MODE: D/P/E/I


COLOR : ● ○ ● ●

The porous design D-profile window sealing strip can effectively reduce noise.

The foam seal Tcan quickly return to its original shape after squeezing and has good cushioning or cushioning performance.

It is very suitable for wind, dust, noise and cold protection, protects doors and windows and effectively reduces the wear and noise of doors and windows when opening and closing.

- ▶ 多孔设计的D型窗密封条，有效降低噪音。
- ▶ 泡沫密封件挤压后能迅速恢复原状，具有良好的缓冲或缓冲性能。
- ▶ 非常适用于防风、防尘、防噪音、防寒，保护门窗，有效降低门窗打开和关闭时的磨损和噪音。






## 31 ACRYLIC FOAM TAPE (亚克力双面胶)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1154	12mmx2m	576rolls/ctn	62x42x33	25
HP1155	18mmx2m	576rolls/ctn	62x42x33	25
HP1156	24mmx2m	576rolls/ctn		
HP1303	12mmx3m	576rolls/ctn	68.5x46x34	31
HP1304	18mmx3m	384rolls/ctn	68.5x46x34	31
HP1302	24mmx3m	288rolls/ctn	68.5x46x34	31
HP1305	48mmx3m	144rolls/ctn	68.5x46x34	31
HP1599	12mmx5m	288rolls/ctn	70x63x31	24.5
HP1600	18mmx5m	192rolls/ctn	70x63x31	24.5
HP1601	24mmx5m	144rolls/ctn	70x63x31	24.5

If other special size you need to make,PLS contact with our company.

Acrylic foam tape is made of a unique material that bondsAcrylic foam tape is made of a two surfaces together without the need for additional fasteners. It can be used on a variety of surfaces, including metal, glass, plastic, and even painted surfaces.

- 丙烯酸泡沫胶带由一种独特的材料制成，可以将两个表面粘合在一起，而不需要额外的紧固件。它可以用于各种表面，包括金属，玻璃，塑料，甚至油漆表面。



## 32 NANO TAPE (纳米胶带)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP2138	30mmx1m	288rolls/ctn	68x42x33.5	21
HP2139	30mmx2m	288rolls/ctn	82x47x33.5	36
HP2140	30mmx3m	144rolls/ctn	51x46x33.5	27
HP2141	30mmx5m	144rolls/ctn	60x54x33.5	55

Thickness:1mm//1.5mm/2mm


If other special size you need to make,PLS contact with our company.

Our double-sided adhesive tape is made with unique nano gel material, providing a strong and durable bond that you can trust.

You can hang photo frames, mirrors, wall art, posters led strips, solar lights, holiday decorations, and other home decorations where you need.

With our nano tape, you can remove it without leaving any traces or sticky residues behind.

- 我们的双面胶带由独特的纳米凝胶材料制成，提供坚固耐用的粘合，您可以信赖。
- 你可以把相框、镜子、墙壁艺术、海报、led灯、太阳能灯、节日装饰品和其他家庭装饰品挂在你需要的地方。
- 使用我们的纳米胶带，您可以去除它而不会留下任何痕迹或粘性残留物。





# 33 DOUBLE-SIDED CARPET TAPE (双面地毯胶)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1475	48mmx10m	144rolls/ctn	59.5x40.5x30	19.5
HP1224	50mmx15m	72rolls/ctn	46x35x30	16.5
HP1474	48mmx25m	48rolls/ctn	54.5x28x30	21.5

If other special size you need to make,PLS contact with our company.

Double-sided carpet tape is used to fix carpets or carpets at home, exhibitions, weddings and other occasions, with high viscosity, removable, no glue residue characteristics. You don't need to worry about carpet slippage or tape residue on the floor.

- ▶ 双面地毯胶带用于在家里、展览、婚礼等场合固定地毯或地毯，具有粘度高、可拆卸、无胶水残留的特点。您无需担心地毯打滑或胶带残留在地板上。



# 34 DOUBLE-SIDED FOAM TAPE (海绵双面胶)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1216	12mmx5m	288rolls/ctn	51x38x31	8
HP1214	18mmx5m	192rolls/ctn	51x38x31	8
HP1215	24mmx5m	144rolls/ctn	51x38x31	8
HP1217	48mmx5m	72rolls/ctn	51x38x31	8

COLOR : ● ●

If other special size you need to make,PLS contact with our company.

White Double-side PE Foam Tape Strong adhesion, good workability, different shape specifications; strong folding resistance, temperature resistance and aging resistance.

The mounting tape is made of PE foam, the double sided adhesive provides viscosity, and the surface was covered with a layer of release paper, pasting fastening suitable for light and small objects.

- ▶ 白色双面PE泡沫胶带附着力强，和易性好，形状规格不同；耐折叠、耐高温、耐老化。
- ▶ 双面胶带由PE泡沫塑料制成，双面胶粘剂提供粘度，并在表面覆盖一层离型纸，粘贴紧固适用于轻、小物体。



**DOUBLE-SIDED ADHESIVE  
THICK FOAM**



THE FOAM TAPE IS  
DOUBLE-SIDE STICKY, EASY  
TO STICK AND TEAR.



# 35 DOOR BOTTOM SEAL (门底密封条)

ITEM	SIZE	PACKING	CTN/mm	G.W.(kg)
HP1272	1m/pvc	100pcs/ctn	109x17x21	20
HP1271	1m/aluminum	100pcs/ctn	109x17x21	18
HP1173	1m/pvc	144pcs/ctn	109x20x19	20
HP1766	93cm/sponge	100pcs/ctn	103x45x50	5.5
HP1963	95cm/oxford cloth	120pcs/ctn	68x40x105.2	11

If other special size you need to make,PLS contact with our company.



Door bottom seal can block reptiles, reduce dust, block the entry of cold wind, reduce the loss of cold and warm air, reduce noise, and so on

► 门底密封条可以阻挡爬行动物，减少灰尘，阻挡冷风的进入，减少冷暖空气的损失，降低噪音等



# 36 OTHER PRODUCTS (其他产品)

