

AOKE

ADD: No.160 North Huanzhen Road, Science and Technology Park Jiangshan Town, Yinzhou District, Ningbo City, 315191 Zhejiang China.

TEL: +86-0574-88193751

E-MAIL: chenxingliang@aokefurniture.com

www.nbaoke.com
www.aokefurniture.com

AOKE FOSHAN BRANCH

ADD: No.173 Longzhou West Road, Longjiang Town, Shunde District, Foshan City, Guangzhou China. (Room 701-713, Block 3, Milanhui Home Exhibition and Trade Center)

TEL: +86-0757-23630550 / +86-13501537333

E-MAIL: chenhaiguang@nbgitsmart.com

www.nbaoke.com

AOKE EUROPE B.V.

ADD: Edisonweg 10,6101, XJ Echt Netherland.

TEL: +31(0)475 729 890

E-MAIL: sales@aoke-europe.com

www.aoke-europe.com

AOKE SOUTHEAST ASIA CO., LTD.

ADD: 29 Moo 2 2 T. Lad Sawai A. Lam Luk Ka Pathumtani 12150

TEL: +66 0942152124

E-MAIL: sale01@aokesa.com

www.nbaoke.com

AOKE MALAYSIA SDN BHD

ADD: Plot 4A.Jalan PKNK Utama,Kawasan Pcrusahaan Sungai Pctani(LPK) 08000 Sungai Petani,Kedah Darul Aman.Malaysia.

TEL: +60174221233/+60164300824

E-MAIL: lihou.tan@aoke-m-furniture.com / Karenloh@aoke-m-furniture.com

www.nbaoke.com

AOKE SPACE LLC

ADD: Jebel Ali Industrial Area - Jebel Ali Industrial First - Dubai.

TEL: +971 557685756

E-MAIL: samruan@aokefurniture.com

www.nbaoke.com

Rev.05



AOKE




AOKE-EUROPE



WECHAT
OFFICIAL ACCOUNT

PRODUCT CATALOG





CONTENTS



Classic Series

Dual Motor Height Adjustable Desk Frame	05
Single Motor Height Adjustable Desk Frame	13
Hand Crank Height Adjustable Desk Frame	15
Triple Motor Height Adjustable Desk Frame	17
Face-to-Face Height Adjustable Workstation	21



Complete Desk Series

Single Motor Height Adjustable Desk Frame	27
Multimedia Height Adjustable Desk	29
Gaming Height Adjustable Desk	31
Electric Podium Desk	33
Kids’ Height Adjustable Study Desk	35
Glass-Top Height Adjustable Desk	37
Pneumatic Height Adjustable Desk	39



Desk Converter Series

Electric Desk Converter	45
Pneumatic Desk Converter	48



Accessories

Monitor Arm	51
Mobile Pedestal	53
Screen Clamp	54
CPU Holder	54
Cable Management System	55
Control Box	56
Handset	57
Foot	61
Column	63



Green
Health
Comfort

ABOUT AOKE

Ningbo Aoke Office Equipment Co., Ltd. was established in 2012 and is an enterprise focused on ergonomic applications, driven by linear drive technology. The company is deeply engaged in the full industrial chain of height-adjustable desks, encompassing independent R&D and manufacturing of core components such as motors, control systems, desk frames, desktops, and office accessories, creating a highly integrated product ecosystem. With a strong R&D team, robust manufacturing capabilities, and a professional sales network, Aoke is committed to advancing the intelligent transformation of modern office environments, enabling healthier and more efficient ways of working.

With a state-of-the-art production facility spanning over 50,000 square meters and a workforce of more than 500 employees, Aoke ensures the delivery of high-quality and efficient services to every client through continuous investment in cutting-edge equipment and technology.

To further enhance customer experience and expand its international presence, the company has established subsidiaries in the Netherlands, Thailand, Foshan, China, the Middle East, and Malaysia since 2017. As its business footprint steadily grows, Aoke is shaping forward-thinking office solutions for clients worldwide.

					
					
CB	EPR	BIFMA	RoHS	EN527	



01
Classic Series




Dual Beam Dual Motor
Height Adjustable Desk Frame
[AK2YJYT-TYZB3](#)



	Height Range		Rated Speed		Rated Load
	640-1290mm		40mm/s		120kg



* Rectangle Tube




Dual Beam Dual Motor
Height Adjustable Desk Frame
[AK2YJYT-TYZF2](#)



	Height Range		Rated Speed		Rated Load
	690-1150mm		32mm/s		120kg



* Square Tube






Dual Beam Dual Motor
Height Adjustable Desk Frame
[AK2YJYT-NZY3](#)



	Height Range		Rated Speed		Rated Load
	640-1290mm		40mm/s		120kg



* Round Tube




Dual Beam Dual Motor
Height Adjustable Desk Frame
[AK2YJYT-ZT2](#)



	Height Range		Rated Speed		Rated Load
	690-1150mm		32mm/s		120kg



* Oval Tube





Quick-Assembly Dual Motor
Height Adjustable Desk Frame

AK2YJKT-TYZB3K-M02



Height Range

640-1290mm



Rated Speed

38mm/s




Rated Load

100kg



10mins
Installation Time



All-in-One Pack Quick-Assembly
Height Adjustable Desk Frame

AK2YJYT-TYZBE3H-M02



Height Range

650-1300mm



Rated Speed

38mm/s




Rated Load

120kg



2mins
Installation Time





Tiltable Electric Drawing Desk

AK2QX-YDZF3



Height Range
640-1290mm


Rated Speed
40mm/s

 Rated Load
120kg

 Tilt Angle
0-40°

Time 10s

Max. Load When Tilt
25kg






Dual Beam Single Motor
Height Adjustable Desk Frame

AK2YJYT-TY-A-F



1	Height Range	Rated Speed	Rated Load
	710-1160mm	25mm/s	100kg




Single Beam Single Motor
Height Adjustable Desk Frame

AK02DHL-TY-AJ-M02



1	Height Range	Rated Speed	Rated Load
	695-1145mm	20mm/s	100kg





Dual Beam Hand Crank
Height Adjustable Desk Frame

AK2YJHT-Y-A-H



Height Range

690-1130mm




Rated Speed

6.12mm/r



Rated Load

80kg



Single Beam Hand Crank
Height Adjustable Desk Frame

AK02DHL-A-E-H



Height Range

690-1130mm




Rated Speed

6.12mm/r



Rated Load

80kg





Adjustable Dual Beam Triple Motor
Height Adjustable Desk Frame

AK3YJYT-TYZF3(90°/120°/180°)



Height Range

640-1290mm




Rated Speed

40mm/s



Rated Load

150kg



Dual Beam Triple Motor
Height Adjustable Desk Frame (90°)

AK3YJYT-TYZF3(90°)



Height Range

640-1290mm




Rated Speed

40mm/s



Rated Load

150kg





Dual Beam Triple Motor
Height Adjustable Desk Frame (120°)

AK3YJYT-TYZF3(120°)



Height Range

640-1290mm




Rated Speed

40mm/s



Rated Load

150kg



Dual Beam Triple Motor
Height Adjustable Desk Frame (180°)

AK3YJYT-TYZF3(180°)



Height Range

640-1290mm




Rated Speed

40mm/s



Rated Load

150kg






Dual Motor Square Tube Face-to-Face
Height Adjustable Workstation
(AK2YJYT-TYZF3)*2




Height Range	Rated Speed	Rated Load
640-1290mm	40mm/s	120kg (Each Frame)



Dual Motor Round Tube Face-to-Face
Height Adjustable Workstation
(AK2YJYT-ZT3)*2-M02



Height Range	Rated Speed	Rated Load
640-1290mm	38mm/s	120kg (Each Frame)






Single Motor Face-to-Face Height Adjustable Workstation

(AK02DHL-TY-A)*2-M02



	Height Range		Rated Speed		Rated Load
	695-1145mm		20mm/s		100kg (Each Frame)




Hand Crank Face-to-Face Height Adjustable Workstation

(AK02YJHT-A-H-E)*2



	Height Range		Rated Speed		Rated Load
	690-1130mm		6.12mm/r		80kg (Each Frame)





02 Complete Desk Series



Single Motor Height Adjustable Desk Frame



AK-LCSM02ST-M60-1



Height Range
710-1190mm

Rated Speed
20mm/s

Rated Load
60kg





Multimedia
Height Adjustable Desk
AK-GT09-YZB2-S



Touchscreen Handset



Wireless Charger



Bluetooth Speaker

	Height Range 710-1170mm
	Rated Speed 30mm/s
	Rated Load 100kg

Gaming Height Adjustable Desk

AK-DJ11-YDZF2


Height Range
690-1150mm

Rated Speed
28mm/s



Rated Load
100kg

Desktop Size
1600/1800mm



Gaming Height Adjustable Desk

AK-DJ10-YDZF2

Height Range
690-1150mm


Rated Speed
28mm/s

Rated Load
100kg

Monitor Shelf Depth
247mm

Monitor Shelf Height Range
0-138mm

Monitor Shelf Rated Load
40kg






Electric Podium Desk

AK-DDJTZ



↕	Height Range
	800-1260mm
⬆	Rated Speed
	20mm/s
👤	Rated Load
	60kg





Kids' Height Adjustable Study Desk
AK-STU-A-T-DZ



Desktop Power Outlet



Eye-Protecting Lamp



Hidden Drawer







Height Range
540-800mm



Rated Speed
20mm/s



Rated Load
60kg





Dual Motor Glass-Top
Height Adjustable Desk

AK-GT10-YZF2



Height Range

720-1170mm




Rated Speed

30mm/s



Rated Load

100kg



Single Motor Glass-Top
Height Adjustable Desk

AK-GT50-TY-A-JB



Height Range

720-1180mm




Rated Speed

20mm/s



Rated Load

70kg





Rolling Pneumatic Laptop Table

AK-MR-P20



1	Height Range
	760-1110mm
2	Static Rated Load
	30kg
3	Dynamic Rated Load
	6kg





Mobile Single-Leg Pneumatic Table

AK-QDZ01-ZY2-1



1	Height Range
	710-1130mm
2	Static Rated Load
	30kg
3	Dynamic Rated Load
	6kg






Pneumatic Height Adjustable Desk

AK-MR-P07-4



↕	Height Range
	705-1055mm
⚖️	Static Rated Load
	100kg
⚖️	Dynamic Rated Load
	13kg








03
Converter Series

Electric Desk Converter With Monitor Mount



Monitor Size Rated Load

AK-MR-E01S	15" ~ 40"	10kg
AK-MR-E01D	15" ~ 31.5"	10kg
AK-MR-E01T	15" ~ 19"	8kg



1↓	Height Range
	145-575mm
↑	Rated Speed
	25mm/s
⚖	Rated Load
	15kg

AK-MR-E03S

Electric




Height Range For Top
150-550mm

Desktop Rated Load
20kg

Rated Speed
15mm/s

Keyboard Rated Load
5kg



AK-MR-E07


Electric



Height Range For Top
140-440mm

Rated Load
20kg

Rated Speed
20mm/s



AK-MR-P23


Pneumatic



Height Range For Top
155-500mm

Desktop Rated Load
10kg

Keyboard Rated Load
2kg



AK-MR-P24


Pneumatic



Height Range For Top
155-500mm

Desktop Rated Load
10kg

Keyboard Rated Load
2kg





M
Accessories

Single Monitor Arm

AK-MA01S-GS

 Monitor Size	 Height Range
14"-32"	28cm
 VESA Compatible	 Material
75*75 / 100*100mm	ABS & Aluminum
 Weight Capacity	
1-9kg	



Tension adjustment for the up/down arm



Tighten with desktop connection



Lift Range
333-611mm



Tilt
±40°



Swivel
±90°



Tension adjustment for the up/down arm




Tighten with desktop connection


Dual Monitor Arm

AK-MA01D-GS

 Monitor Size	 Height Range
14"-32"	28cm
 VESA Compatible	 Material
75*75 / 100*100mm	ABS & Aluminum
 Weight Capacity	
1-9kg	



Lift Range
333-611mm



Tilt
±40°



Swivel
±90°

Mobile Pedestal

AK-PC-300

	Size
500*300*470mm	
	Upper Drawer Size
460*238*70mm	
	Lower Drawer Size
460*238*245mm	



AK-PC-390

	Size
500*390*470mm	
	Upper Drawer Size
460*328*70mm	
	Lower Drawer Size
460*328*245mm	



Cushion Color:

	Gunmetal	Iced Grey	Pear Green
	Black	Cobalt Blue	Carbon

Screen Clamp



AK-ZMPFJ

	Thickness with EVA Pad
3.5-15mm	
	Thickness without EVA Pad
20-30mm	



PG003-T

	Thickness with EVA Pad
5-15mm	
	Thickness without EVA Pad
20-30mm	

CPU Holder



AK-MF08

	Length
135-245mm	
	Height
300-455mm	



AK-MF09

	Length
257-336.5mm	
	Height
436-652mm	

Cable Management System

Metal Cable Tray



XC-WC01-800

Size
800*125*75mm



XC-KZ01-855

Size
856*113*20mm

Grounding Cable Tray



Size
481*156*158mm



XC-SS01-100

Adjustable Range
1000-1680mm

Size
220*80mm

Cable Management Spine



Length
1280mm

Size
68*36mm

Control Box

Fire-Resistant
ABS Housing

Compatible with All Aoke
Columns and Handsets

WP-CB01A

Included Motor
2

Output Power
400W/max

Operating Frequency
50-60Hz

Input Voltage
100-120V / 220-240V

Output Voltage
32V

WP-CB20

Included Motor
2

Output Power
400W/max

Operating Frequency
50-60Hz

Input Voltage
100-120V / 220-240V

Output Voltage
30V

WP-CB41A

Included Motor
3

Output Power
600W/max

Operating Frequency
50-60Hz

Input Voltage
100-120V / 220-240V

Output Voltage
30V

WP-CB70

Included Motor
1

Output Power
200W/max

Operating Frequency
50-60Hz

Input Voltage
100-240V

Output Voltage
29V

Standard Handset



WP-H28 HOT

- 1/2/3/4

Memory Function
- Digit Display
- Bluetooth (optional)
- USB



WP-H32

- 1/2/3

Memory Function
- Digit Display



WP-H31

- 1/2/3/4

Memory Function
- Digit Display
- Bluetooth (optional)



WP-H33/WP-H34

- Up / Down
- Digit Display (optional)



WP-H35

- 1/2/3

Memory Function
- Digit Display
- Lock
- USB



WP-H38T HOT

- 1/2

Memory Function
- OLED Screen
- Bluetooth
- Touch Button Lighting Effects
- USB+Type-C



WP-H37

- 1/2/3/4

Memory Function
- Digit Display
- Vibration Feedback Touch Button
- USB+Type-C



WP-H39 HOT

- 1/2

Memory Function
- Control Knob
- User Interface(UI)
- 1.52" OLED Color Screen



WP-H40 NEW

- 1/2
Memory
Function
- Digit
Display
- Touch Button
- Push Pop-up
Design



WP-H86 HOT

- 1/2
Memory
Function
- OLED
Screen
- Paddle Keypad
Operation



WP-H85


- 1/2
Memory
Function
- OLED
Screen
- Paddle Keypad
Operation
- USB+Type-C



Color: ☐ ☐


WP-H242/WP-H243 NEW

- 1/2
Memory
Function
- Digit
Display
- Lock
- Type-C
(optional)



WP-H72/WP-H73

- Up / Down
- USB



WP-H90/WP-H91

- 1/2/3/4
Memory
Function
- Digit
Display



WP-H74/WP-H75 HOT

- 1/2/3
Memory
Function
- Digit
Display
- USB+Type-C



Color: ☒ ☐

WP-H140/WP-H142 NEW
*Exclusive to Single-Motor Products.

- 1/2
Memory
Function
- Digit
Display
- Lock
- Type-C
(optional)

Foot



AK-DJ-X01

Width
80/90mm

Matched Tube Shape
Rectangle/Square/Round/Oval



AK-DJ-P01

Width
80/90mm

Matched Tube Shape
Rectangle/Square/Round/Oval



AK-DJ-BG01

Width
70mm

Matched Tube Shape
Rectangle/Oval



AK-DJ-QR01

Width
80/90mm

Matched Tube Shape
Rectangle/Square/Round/Oval



AK-DJ-LS01

Trapezoidal Foot
55mm 70mm

Matched Tube Shape
Rectangle



AK-DJ-Y02

Width
70mm

Matched Tube Shape
Rectangle



AK-DJ-Y01

Width
70mm

Matched Tube Shape
Rectangle



AK-DJ-Y03

Width
70mm

Matched Tube Shape
Rectangle

Column

