



COMPLETE LIGHTING SOLUTIONS



Lighting tailored to every need

www.estelleslighting.com

Head Office (USA)
12603 FM 529 Rd.
Houston, Texas 77041
+1-713-270-6800

Canada Office
4090 Ridgeway Drive, Unit # 2.
Mississauga ON L5L 5X5
+1-647-929-8872

Architectural Downlights

2"

Vtrim family Round / Square



Wattage
13W, 15W, 20W
Beam Angle
15° 18° 24° 35° 50° 60°
Color Temperature
27K, 30K, 35K, 40K
Reflector Finish
Semi Specular, Gold, Chrome Black, Matte Black



Visit our website for more Information.



Wattage
13W, 15W, 20W
Beam Angle
15° 18° 24° 35° 50° 60°
Color Temperature
27K, 30K, 35K, 40K
Reflector Finish
Semi Specular, Gold, Chrome Black, Matte Black



Visit our website for more Information.

5"

ART Series Round / Square Wet location



Wattage
13W, 15W, 20W
Beam Angle
24° 35° 45° 50° Wall wash
Color Temperature
27K, 30K, 35K, 40K
Reflector Finish
Semi Specular, Gold, Chrome Black, Matte Black



Visit our website for more Information.



Adjustable

Wattage
13W, 15W, 20W
Beam Angle
24° 35° 45° 50° Wall wash
Color Temperature
27K, 30K, 35K, 40K
Reflector Finish
Semi Specular, Gold, Chrome Black, Matte Black



Visit our website for more Information.

Recessed Downlights

6"

LED Downlight

Round / Square

Wet location



Wattage

14W

Lumens

900lm, 1500lm

Color Temperature

27K, 30K, 40K, 50K



Visit our website for more Information.

6"

Ultra-thin Downlight



Wattage

12W

Lumens

700lm, 900lm

Color Temperature

27K, 30K, 40K, 50K



Visit our website for more Information.



Wattage

15W

Lumens

1100lm

Color Temperature

27K, 30K, 40K, 50K



Visit our website for more Information.



Wet location

Wattage

16W

Lumens

1,030lm

Color Temperature

27K, 30K, 40K, 50K



Visit our website for more Information.

Architectural Lighting System

1.5" Magnetic Square / Round Pendant



Wattage
10W, 16W
Beam Angle
20° 25° 40°
Color Temperature
3000K
Finish
White, Black
 Visit our website for more Information



Wattage
10W, 15W
Beam Angle
20° 25° 36°
Color Temperature
3000K
Finish
White, Black
 Visit our website for more Information

1.3" Dot Ceiling Magnetic



Wattage
15W
Beam Angle
25° 40° 50°
Color Temperature
3000K
Finish
White, Black
 Visit our website for more Information

1.5" Cylinder Magnetic



Wattage
10W, 17W
Beam Angle
20° 25° 36°
Color Temperature
3000K
Finish
White, Black
 Visit our website for more Information

Cove lights

INTERIOR & EXTERIOR

Dynamic Cove Linear



Wattage
8W, 15W, 30W
Beam Angle
15° 25° 35°

Color Temperature
RGBW (W=6500K)

Finish
White, Black



Visit our website for more information

IL-LLS-W50



Wattage
7W, 11W, 14W, 17W

Length
12", 24", 48"

Color Temperature
RGB, RGBW

Finish
White, Black



Visit our website for more information

T5 LED Integrated Linear



Wattage
5W, 9W, 12W, 16W

Length
12", 24", 48"

Color Temperature
3000K, 3500K, 4000K, 5000K

Finish
Sliver



Visit our website for more information

Linear LED D50 Series



Wattage
9W, 18W, 36W

Length
12", 24", 48"

Color Temperature
RGBW

Finish
Sliver, Black



Visit our website for more information

IL-W40A24



Wattage
8W, 16W

Length
12", 24"

Color Temperature
3000K, 5000K, RGBW

Finish
Sliver, Black



Visit our website for more information

LED Track Lights

4" COB spot light



Wattage
30W
Beam Angle
15° 24° 36°
Color Temperature
2700K-6000K
Finish
White, Black
 Visit our website for more Information

5.5" Dot Ceiling Magnetic



Wattage
45W
Beam Angle
15° 24° 36°
Color Temperature
2700K-6000K
Finish
White, Black
 Visit our website for more Information

2" PM Track Series



Wattage
15W, 20W, 30W, 38W
Beam Angle
15° 24° 36° 60°
Color Temperature
2700K, 3000K, 3500K, 4000K
Finish
White, Black
 Visit our website for more Information

3" Cylinder Magnetic



Wattage
20W
Beam Angle
15° 24° 36°
Color Temperature
2700K-6000K
Finish
White, Black
 Visit our website for more Information

Linear Fixtures

Linear Series Up / Down



Wattage
30W, 40W
Lengths
3ft, 4ft, 5ft
Color Temperature
3000K, 4000K, 6000K
Finish
White, Black



Visit our website for more Information



Wattage
30W, 40W
Lengths
3ft, 4ft, 5ft
Color Temperature
3000K, 4000K, 6000K
Finish
White, Black



Visit our website for more Information

1.7"

Linkable Series Up / Down



Wattage
30W, 40W
Lengths
3ft, 4ft, 5ft
Color Temperature
3000K, 4000K, 6000K
Finish
White, Black



Visit our website for more Information

1.7"

Linkable Series Up / Down



Wattage
30W, 40W
Lengths
3ft, 4ft, 5ft
Color Temperature
3000K, 4000K, 6000K
Finish
White, Black



Visit our website for more Information

Linear Fixtures

Linear Suspended Up / Down



Wattage
40W, 80W
Lengths
4ft, 8ft
Color Temperature
3000K, 4000K, 5000K
Finish
White, Black



Visit our website for more Information



Wattage
20W, 30W
Lengths
2ft, 4ft, 5ft
Color Temperature
3000K, 4000K, 6000K
Finish
White, Black



Visit our website for more Information


Linear Suspended Up / Down



Wattage
30W, 60W
Lengths
2ft, 4ft
Color Temperature
3000K, 4000K, 6000K
Finish
White



Visit our website for more Information



Wattage
40W, 80W
Lengths
4ft, 8ft
Color Temperature
3000K, 4000K, 5000K
Finish
White



Visit our website for more Information

Surface Mount Disk lights



Wattage
10W
Dimesions
4.0"
Color Temperature
2700K, 3000K, 4000K, 5000K
Finish
White, Black



Visit our website for more Information



Wattage
14W
Dimesions
12", 14"
Color Temperature
3000K, 4000K
Finish
White



Visit our website for more Information



Wattage
10W
Dimesions
4", 5"
Color Temperature
3000K, 4000K, 5000K
Finish
White



Visit our website for more Information



Wattage
18W
Dimesions
9.0"
Color Temperature
2700K, 3000K, 4000K, 5000K
Finish
White, Brushed Nickle



Visit our website for more Information



Wattage
10W
Dimesions
4.0"
Color Temperature
3000K, 4000K, 5000K Tunable
Finish
White



Visit our website for more Information



Wattage
15W
Dimesions
7.28"
Color Temperature
3000K, 4000K, 5000K Tunable
Finish
White



Visit our website for more Information

Emergency Backup

Emergency LED Driver Constant Output Power




Wattage
10W, 15W, 20W

Output Voltage
25-48V DC

Battery Type
Li-ion/ Ni-MH

 Visit our website for more Information

Emergency LED Driver BATTERY BACKUP



Wattage
9W, 12W, 15W

Output Voltage
120V AC

Battery Type
Li-ion

 Visit our website for more Information

Emergency Lighting Inverters

LPS Series Inverters Emergency Power Systems



LPS-375

LPS-600

Capacity for 1hr / 2 hrs
375 / 600

Output Voltage
120/277 VAC

Battery Current
7.3 / 7.1

 Visit our website for more Information

High Bay Lights



Wattage
102W, 150W, 200W
Input Voltage
120V-277
Color Temperature
4000K, 5000K
Finish
White, Black



Visit our website for more Information



Wattage
130W, 160W, 260W
Input Voltage
120V-277
Color Temperature
4000K, 5000K
Finish
White



Visit our website for more Information



Wattage
109W, 166W, 217W
Input Voltage
120V-277
Color Temperature
4000K, 5000K
Finish
White



Visit our website for more Information



Wattage
100W, 150W, 210W
Input Voltage
120V-277
Color Temperature
3000K, 4000K, 5000K
Finish
White, Black, Bronze



Visit our website for more Information



Wattage
90W, 175W, 300W
Input Voltage
120V-277
Color Temperature
4000K, 5000K
Finish
White



Visit our website for more Information



Wattage
90W, 180W, 265W, 425W
Input Voltage
120V-277
Color Temperature
4000K, 5000K
Finish
White



Visit our website for more Information

LED Panels / Troffers

1x4 Premium Back-Lit LED Panel



Wattage
32W
Input Voltage
120V-277
Color Temperature
3500K, 4000K, 5000K
Finish
White



Visit our website for more Information

2x4 Premium Back-Lit LED Panel



Wattage
40W
Input Voltage
120V-277
Color Temperature
3500K, 4000K, 5000K
Finish
White



Visit our website for more Information

2x2 Architectural – Troffers



Wattage
40W
Input Voltage
120V-277
Color Temperature
3000K, 4000K, 5000K
Finish
White



Visit our website for more Information

2x2 Premium Back-Lit LED Panel



Wattage
36W
Input Voltage
120V-277
Color Temperature
3500K, 4000K, 5000K
Finish
White



Visit our website for more Information

2x2 Center Basket – Troffers



Wattage
24W
Input Voltage
120V-277
Color Temperature
3500K, 4000K, 5000K
Finish
White



Visit our website for more Information

2x4 Architectural – Troffers



Wattage
40W, 65W
Input Voltage
120V-277
Color Temperature
3000K, 4000K, 5000K
Finish
White



Visit our website for more Information

Emergency/Exit Lights

INTERIOR & EXTERIOR

LED EXIT SIGN



Housing
Aluminum

Face
Single and Double

Letter Color
Red, Green



Visit our website for more Information

LED EXIT SIGN



Housing
White

Face
Double

Letter Color
Red, Green



Visit our website for more Information

LED EXIT SIGN COMBO Wet Location



Battery
Battery Backup

Face
Single Face Standard

Letter Color
Red, Green



Visit our website for more Information

LED EXIT / STAIR SIGN



Housing
White, Aluminum

Face
Single and double

Letter Color
Red, White



Visit our website for more Information

Emergency Light Wet Location



Mounting
Ceiling, end, or wall

Battery Life
90 minutes

Battery
Lithium Iron Phosphate

Finish
White



Visit our website for more Information

LED EXIT SIGN COMBO Wet Location



Housing
White

Face
Single and Double

Letter Color
Red, Green



Visit our website for more Information

Multiple Downlights

Trimmed/Trimless Multiple Downlight



Wattage
2W/Lamp
Series
Mini LED Multiple Downlight
Application
Commercial/Residential
Finish
White, Black



Visit our website for more Information

Commercial LED Recessed Multiple Downlight



Trim
Flanged Trim/ Trimless
Series
Mini LED Multiple Downlight
Color Temperature
2800-6000K
Finish
White, Black



Visit our website for more Information

Trimmed/Trimless Wall Wash Downlight



Wattage
2W/Lamp
Series
Mini LED Multiple Downlight
Application
Commercial/Residential
Finish
White, Black



Visit our website for more Information

Miniature LED Multiple Downlight



Wattage
6W/Lamp
Series
Miniature LED Recessed Downlight
Color Temperature
2700K-5000K
Finish
White



Visit our website for more Information


LED Strip

INTERIOR & EXTERIOR

LED Strip 24V DC



Watts/ft
7W/ft
Color Temperature
2300K–6500K
Input Voltage
24V DC
Rating
Dry , Wet, Underwater



LED Strip 24V DC



Watts/ft
3W/ft
Color Temperature
2400K–5000K-RGB
Input Voltage
24V DC
Rating
Dry , Wet,




MAIN VOLTAGE LED STRIP 120V




Watts/ft
4W/ft
Color Temperature
2300K–6500K
Input Voltage
120V
Rating
Dry , Wet



Neon Flex RGB



Watts/ft
4W/ft
Color Temperature
RGB
Input Voltage
24V DC
Rating
Dry , Wet,



Undercabinet Healthcare lighting

LED Undercabin



Wattage
4W, 5W, 8W, 10W, 15W, 20W
Sizes
9", 12", 18", 24", 34", 48"
Input Voltage
120V
Finish
White



Visit our website for more Information

LED Undercabin



Wattage
4W, 6W, 9W, 11W, 15W, 18W
Sizes
8", 12", 14", 18", 24", 28", 36", 48"
Input Voltage
120V
Finish
White, Black



Visit our website for more Information

Patient Headwall Bed Light



Wattage
40W
Color Temperature
3500K, 4000K, 5000K
Input Voltage
120V
Finish
White



Visit our website for more Information

EXTERIOR LIGHTING



Architectural Area Lighting



Architectural Pole Light

Wattage
30W
Color Temperature
3000K
Input Voltage
100-240V
Finish
Bronze



Post Light Series



Wattage
60W, 80W, 100W, 120W
Color Temperature
3000K-5000K
Input Voltage
120V
Lens Angles
TYPE IV, TYPE V



Architectural Area Light



Wattage
60W, 80W, 100W, 120W
Color Temperature
3000K-5000K
Input Voltage
120V
Lens Angles
TYPE IV, TYPE V



Architectural Area Light

Wattage
25W, 35W
Color Temperature
3000K-5000K
Input Voltage
120V
Lens Angles
T120



Bollards



IL-C-243 Bollard

Wattage
25W
Color Temperature
3000K, 4000K
Input Voltage
120V
Finish
Black, Silver Matt



Visit our website for more Information

IL-C-234 Bollard



Wattage
25W
Color Temperature
3000K, 4000K
Input Voltage
120V
Finish
Black, Silver Matt



Visit our website for more Information

IL-C-234 Bollard



Wattage
25W
Color Temperature
3000K, 4000K
Input Voltage
120V
Finish
Black, Silver Matt



Visit our website for more Information

IL-C-233 Bollard



Wattage
15W, 25W
Color Temperature
3000K, 4000K
Input Voltage
120V
Finish
Black, Silver Matt



Visit our website for more Information

IL-C-162 Bollard



Wattage
15W, 30W
Color Temperature
3000K, 4000K
Input Voltage
120V
Finish
Black, Silver Matt



Visit our website for more Information

Canopy & Garage Lights

IL-CL120-AA LED Canopy



Wattage
45W, 120W
Color Temperature
4000K, 5000K
Input Voltage
120-277V
Finish
White



LED Canopy




Wattage
27W, 40W, 60W
Color Temperature
4000K, 5000K
Input Voltage
120-277V
Finish
Dark Bronze, Black, White, Silver Gray



IL-CP3B LED Canopy / Garage



Wattage
120W
Color Temperature
4000K, 4500K, 5700K
Input Voltage
120-277V
Finish
White



IL-MCP03 LED Canopy



Wattage
30W, 45W, 50W, 60W, 65W
Color Temperature
4000K, 5000K
Input Voltage
120-277V
Finish
White, Black, Dark Bronze



Flood Lights



ProBeamX Series

Wattage
80W, 96W, 120W
Color Temperature
3000K, 4000K, 5000K, RGBW
Input Voltage
120-277V
Finish
Dark Bronze, Black, White, Silver Gray



Visit our website for more Information

LED FLOOD LIGHT



Wattage
15W, 30W, 45W
Color Temperature
3000K, 3500K, 4000K, 5000K
Input Voltage
120-277V
Finish
Dark Bronze, Black, White



Visit our website for more Information

3Head Motion Sensor Flood Lights



Wattage
30W
Color Temperature
4000K
Input Voltage
120-277V
Finish
Bronze



Visit our website for more Information

IL-MFD11 Flood Light



Wattage
15W, 40W, 85W, 120W
Color Temperature
4000K, 5000K
Input Voltage
120-277V
Finish
White, Black, Dark Bronze



Visit our website for more Information

In-Ground LED

Ingrade Linear



Wattage
14W, 28W
Color Temperature
3000K, 4000K, 6000K, RGB
Input Voltage
120V
Finish
Sliver



Visit our website for more Information

Architectural In-ground



Wattage
15W
Color Temperature
2700K, 3000K, 4000K
Input Voltage
120V
Finish
Sliver



Visit our website for more Information

Architectural In-ground



Wattage
4W
Color Temperature
2700K, 3000K, 4000K-RGB
Input Voltage
120V
Finish
Sliver



Visit our website for more Information

Ingrade Linear



Wattage
14W, 28W
Color Temperature
3000K, 4000K, 6000K, RGB
Input Voltage
120V
Finish
Sliver



Visit our website for more Information

Architectural In-ground



Wattage
15W
Color Temperature
3000K, 4000K, 5000K
Input Voltage
120V
Finish
Sliver



Visit our website for more Information

Landscape Lights



Landscape Light

Wattage

7W, 12W, 20W, 40W

Color Temperature

2700K, 3000K, 4000K, 5000K

Input Voltage

120-277V

Finish

Dark Bronze, Black, White, Silver Gray



Visit our website for more Information



Landscape Light

Wattage

10W, 12W

Color Temperature

3000K, 4000K

Input Voltage

120-277V

Finish

Dark Bronze, Black, White, Silver Gray



Visit our website for more Information

Explosion proof



Hazardous Location

Wattage

60W, 80W, 100W, 140W, 180W

Color Temperature

3000K, 4000K, 5000K

Input Voltage

120-277V

Finish

Dark Bronze, Black, White, Silver Gray



Visit our website for more Information

Parking / Area Lights



IL-MAL05

Wattage
100W, 150W, 250W, 300W
Color Temperature
4000K, 5000K
Input Voltage
120-277V
Finish
Dark Bronze, Black, White, Silver Gray



IL-MAL08

Wattage
100W, 150W, 250W, 300W
Color Temperature
4000K, 5000K
Input Voltage
120-277V
Finish
Dark Bronze, Black, White, Silver Gray



LED UFO STYLE POST TOP

Wattage
60W, 100W, 150W
Color Temperature
4000K, 5000K
Input Voltage
120-277V
Finish
Dark Bronze, Black, White, Silver Gray



IL-MDD05

Wattage
45W, 65W, 90W
Color Temperature
4000K, 5000K
Input Voltage
120-277V
Finish
Dark Bronze, Black, White, Silver Gray



Roadway Lights



IL-MRL02 Light

Wattage
70W, 105W, 150W
Color Temperature
3000K, 4000K, 5000K
Input Voltage
120-277V
Finish
Dark Bronze, Black, White, Silver Gray



IL-L400D Light

Wattage
120W
Color Temperature
3000K, 4000K, 5000K, 5700K
Input Voltage
120-277V
Finish
Dark Bronze, Black, White, Silver Gray



Sports Stadium Lights




IL-MSL01 Sports Light

Wattage
350W, 500W, 600W, 850W
Color Temperature
4000K, 5000K, 5700K
Input Voltage
120-277V, 347-480V, 277-480V
Finish
Black



IL-MSL05 Sports Light

Wattage
500W, 600W, 850W, 1200W
Color Temperature
4000K, 5000K, 5700K
Input Voltage
120-277V, 200-480V
Finish
Black



Step Lights



IL-ET2155 Step Light

Wattage
8W, 16W
Color Temperature
2700K, 3000K, 4000K, 5000K
Input Voltage
120-277V
Finish
Dark Bronze, Black, White, Silver Gray



Visit our website for more Information




IL-ET2003 Step Light

Wattage
12W
Color Temperature
3000K, 4000K, 6000K
Input Voltage
120-277V
Finish
Dark Bronze, Black, White, Silver Gray



Visit our website for more Information




IL-ET2205 Step Light

Wattage
6W, 7W, 10W, 20W
Color Temperature
2700K, 3000K, 4000K, 5000K-RGB
Input Voltage
120-277V
Finish
Dark Bronze, Black, White, Silver Gray



Visit our website for more Information



IL-ET2006 Step Light

Wattage
7W, 9W, 12W
Color Temperature
2700K, 3000K, 4000K, 5000K
Input Voltage
120-277V
Finish
Dark Bronze, Black, White, Silver Gray



Visit our website for more Information



IL-ET2004 Step Light

Wattage
12W
Color Temperature
2700K, 3000K, 4000K, 5000K
Input Voltage
120-277V
Finish
Dark Bronze, Black, White, Silver Gray



Visit our website for more Information

Vapor Tight



IL-MAL05

Wattage
45W, 70W, 95W
Color Temperature
4000K, 5000K
Input Voltage
120-277V
Finish
Dark Bronze, Black, White,



Visit our website for more Information



IL-MAL04

Wattage
50W, 90W
Color Temperature
4000K, 5000K
Input Voltage
120-277V
Finish
White



Visit our website for more Information




IL-VPL Vapor Tight LED

Wattage
14W
Color Temperature
3000K, 4000K, 5000K
Input Voltage
120-277V
Finish
White



Visit our website for more Information

Wall Cylinder



IL-K1202

Lamp Holder
E26
Suitable
Dry, damp, wet locations.
Input Voltage
120V
Finish
Black, Custom



Visit our website for more Information

IL-K1102



Lamp Holder
E26
Suitable
Dry, damp, wet locations.
Input Voltage
120V
Finish
Black, Custom



Visit our website for more Information

IL-K1104



Lamp Holder
E26
Suitable
Dry, damp, wet locations.
Input Voltage
120V
Finish
Black, Custom



Visit our website for more Information

Luker series



Wattage
15W, 20W, 25W, 30W
Suitable
Dry, damp, wet locations.
Input Voltage
120V
Finish
Black, Custom



Visit our website for more Information

IL-ICL013



Lamp Holder
E26
Suitable
Dry, damp, wet locations.
Input Voltage
120V
Finish
Black, Custom



Visit our website for more Information

Wall Pack Lights

IL-MWP14



Wattage
27W, 45W, 62W, 70W, 100W
Color Temperature
3000K, 4000K, 5000K
Input Voltage
120-277 VAC
Finish
Dark Bronze, Black

 Visit our website for more Information

IL-MWP13



Wattage
27W, 45W, 62W, 70W, 100W
Color Temperature
3000K, 4000K, 5000K
Input Voltage
120-277 VAC
Finish
Dark Bronze, Black

 Visit our website for more Information

IL-MWP15



Wattage
26W, 38W, 65W, 100W, 135W
Color Temperature
3000K, 4000K, 5000K
Input Voltage
120-277 VAC
Finish
Dark Bronze, Black

 Visit our website for more Information

Wall Sconces



IL-JXL-BD16

Wattage
15W, 24W
Color Temperature
3000K, 4000K, 5000K
Input Voltage
120V
Finish
Charcoal, White, Custom



Visit our website for more Information

Tall Wall Sconce



Wattage
22W
Color Temperature
3000K, 4000K, 5000K
Input Voltage
120V
Finish
Charcoal, White, Custom



Visit our website for more Information

IL-JXL-BD14D



Wattage
22W
Color Temperature
3000K, 4000K, 5000K
Input Voltage
120V
Finish
Charcoal, White, Custom



Visit our website for more Information

IL-JXL-BD14A



Wattage
22W
Color Temperature
3000K, 4000K, 5000K
Input Voltage
120V
Finish
Bronze, Charcoal, White, Custom



Visit our website for more Information

IL-JXL-BD15D



Wattage
22W
Color Temperature
3000K, 4000K, 5000K
Input Voltage
120V
Finish
Charcoal, White, Custom



Visit our website for more Information

Wall Washers



IL-WW03 Series

Wattage
20W, 40W
Color Temperature
RGB
Input Voltage
120-240V
Finish
Black, White



Visit our website for more Information



IL-WW06 Series

Wattage
20W, 40W
Color Temperature
2700K, 3000K, 6000K, RGB
Input Voltage
120-240V
Finish
Gray, White



Visit our website for more Information



IL-SP-F170A

Wattage
48W
Color Temperature
RGB
Input Voltage
120-240V
Finish
Black, White



Visit our website for more Information




IL-LWW-W80A Series

Wattage
12W, 20W, 40W
Color Temperature
3000K, 4000K, 5000K, RGB
Input Voltage
120-240V
Finish
Black, White



Visit our website for more Information


Poles & Accessories



Square

SSS SERIES STEEL POLES

Height
17ft, 20ft, 25ft, 30ft
Bolt Circle
9", 11"
Base Plate Square
10.5", 11"
Finish
Dark Bronze, Black
Visit our website for more Information



Round

RSS SERIES STEEL POLES

Height
16ft, 20ft, 25ft, 30ft
Bolt Circle
9", 11"
Base Plate Square
10.5", 11"
Finish
Dark Bronze, Black
Visit our website for more Information

Horizontal Tenon



Quad Square Vertical Tenon




Triple Square Vertical Tenon



Custom Fixture

Design Your Own Light Fixture



Celling Fan



80" Celling Fan

Category
Celling Fan
Blade Sweep
80"
Input Voltage
120V
Finish
Brushed Nickel, Black, White



Visit our website for more Information



52" Celling Fan

Category
Celling Fan
Blade Sweep
52"
Input Voltage
120V
Finish
Brushed Nickel, Black, White



Visit our website for more Information



52" Celling Fan

Category
Celling Fan
Blade Sweep
52"
Input Voltage
120V
Finish
Brushed Nickel, Black, White



Visit our website for more Information

52" Celling Fan



Category
Celling Fan
Blade Sweep
52"
Input Voltage
120V
Finish
Brushed Nickel, Black, White



Visit our website for more Information

Hospitality

IHG Approved Vendor

For Garner

IHG®
HOTELS & RESORTS

Garner™
AN IHG HOTEL



Controls

Authorized distributor



 **LUTRON**[®]

 **COOPER**
Lighting Solutions

WaveLinx
Greengate

PoE
Lighting & Controls

DC Smart Controls

A modern, minimalist interior space featuring a large, open-plan living area. In the foreground, a brown sectional sofa is adorned with several teal-colored throw pillows. To the left, a staircase with dark wooden steps and a glass railing leads upwards. The ceiling is high and white, with several clusters of spherical pendant lights hanging from it. These lights are made of clear glass with a metallic interior, creating a modern and sophisticated look. The overall atmosphere is bright and airy, with natural light streaming in from the right side of the frame.

Multi-Family

Lighting Solutions

Vanity Lights

Multi-family



IL-JQ8260 Series

Lamp Holder
E26
Suitable
Dry, damp
Input Voltage
120V
Finish
Black, Silver



Visit our website for more Information



IL-JQ9553A Series

Wattage
14W, 24W
Color Temperature
3000K, 4000K, 5000K
Input Voltage
120V
Finish
Black, Silver



Visit our website for more Information



IL-JQ8090 Series

Wattage
15W, 21W
Color Temperature
3000K, 4000K, 5000K
Input Voltage
120V
Finish
Black, Silver



Visit our website for more Information



IL-JQ8270 Series

Wattage
18W, 24W
Color Temperature
3000K, 4000K, 5000K
Input Voltage
120V
Finish
Silver



Visit our website for more Information

IL-JQ9568 Series

Wattage
14W, 18W, 24W
Color Temperature
3000K, 4000K, 5000K
Input Voltage
120V
Finish
Black, Silver



Visit our website for more Information



Pendant Lights

Multi-family



IL-DZ076

Lamp Holder
E26
Suitable
Dry
Input Voltage
120V
Finish
Black, Silver



Visit our website for more Information



IL-D088

Lamp Holder
E26
Suitable
Dry
Input Voltage
120V
Finish
Brass, Silver



Visit our website for more Information



IL-LM26

Wattage
120W
Temperature
3000K
Input Voltage
120V
Finish
Bronze, Gold



Visit our website for more Information



IL-ML021

Lamp Holder
E26
Suitable
Dry
Input Voltage
120V
Finish
Green, Red, Custom



Visit our website for more Information

Flush Mount

Multi-family



IL-DZ254

Lamp Holder
E26
Suitable
Dry
Input Voltage
120V
Finish
Black, Silver



Visit our website for more Information

IL-HG1520

Wattage
14W, 24W
Color Temperature
3000K, 4000K, 5000K
Input Voltage
120V
Finish
Black, Silver



Visit our website for more Information



IL-JQ9553A Series

Wattage
14W, 24W
Color Temperature
3000K, 4000K, 5000K
Input Voltage
120V
Finish
Gold, Black



Visit our website for more Information

IL-DZ895

Lamp Holder
E26
Suitable
Dry
Input Voltage
120V
Finish
Brass, Black



Visit our website for more Information



Wall Sconces

Multi-family



IL-DZ254

Lamp Holder
E26
Suitable
Dry
Input Voltage
120V
Finish
Black, Silver



Visit our website for more Information



IL-DZ52

Lamp Holder
E26
Suitable
Dry
Input Voltage
120V
Finish
Brass, Black



Visit our website for more Information



IL-DZ52

Lamp Holder
Candelabra
Suitable
Dry
Input Voltage
120V
Finish
Brass, Black



Visit our website for more Information



IL-DZ-WS-290

Wattage
14W, 24W
Color Temperature
3000K, 4000K, 5000K
Input Voltage
120V
Finish
Bronze, Black



Visit our website for more Information



IL-DZ254

Lamp Holder
E26
Suitable
Dry
Input Voltage
120V
Finish
Black, Gold



Visit our website for more Information





DEZINE
MULTI-FAMILY LIGHTING

IMPULSE
LIGHTING

Estelles
Lighting
& CONTROLS

LED
INDUSTRIES
LED LIGHTING SOLUTIONS

Head Office (USA)

12603 FM 529 Rd. Houston, Texas 77041
+1-713-270-6800

www.estelleslighting.com