

Safety.....
The measure
of success

*Discover an
experience of
true climbing
pleasure*



A PRODUCT OF HIGHEST QUALITY





INTRODUCTION

Behind every successful enterprise, there are people with innovative spirits, conviction and courage, QMC is no different. It is run by people who are trend setters in their respective fields.

We believe that flawless product of high quality can be manufactured by the apt combination of human intelligence and mechanical efficiency.

For total quality control, QMC utilizes in house facilities such as R&D Lab, Tool Room, Design Studio and state of art modern machinery. We do continuous improvements in quality of Product, People and the environment within the organization. Our approach towards business is proactive and to uphold the integrity and business ethics.

Through our unique design, appropriate material selection and innovative production techniques, we manufacture high quality aluminium ladders which are easy to handle and versatile in use.



QDPL- A TYPE LADDER(HD) 3 TO 17 STEPS

Technical Features:	Usage:
- Ladders made from high grade extruded aluminium that give more strength, rigidity and high corrosion resistance. - Top and bottom stems are knee braced to increase the resistance to avoid the damages due to dynamic drop. - High grade slip resistant foot pad. - Rigid, Sturdy & Slim in look with exceptionally strong structure.	- Maintenance of street lighting - Construction jobsites - For painting and decorating the building - Electro Mechanical works - Shopping Mall

Load Capacity : 150 Kg



STYLE : Double Extension Rigid Ladder			
Model No.	Height Ladder in ft/(mtr)		Open size (AXB) mm
	Before (L) Extension	After Extension	
QDPL/3	3 ft(0.90 mtr)	5 ft(1.50 mtr)	385 x 660
QDPL/4	4 ft(1.20 mtr)	7 ft(2.10 mtr)	420 x 745
QDPL/5	5 ft(1.50 mtr)	9 ft(2.70 mtr)	460 x 975
QDPL/6	6 ft(1.80 mtr)	11 ft(3.30 mtr)	500 x 1175
QDPL/7	7 ft(2.10 mtr)	13 ft(3.90 mtr)	541 x 1360
QDPL/8	8 ft(2.40 mtr)	15 ft(4.50 mtr)	577 x 1552
QDPL/9	9 ft(2.70 mtr)	17 ft(5.10 mtr)	620 x 1754
QDPL/10	10 ft(3.00 mtr)	19 ft(5.70 mtr)	659 x 1940
QDPL/12	12 ft(3.60 mtr)		733 x 2370
QDPL/14	14 ft(4.20 mtr)		810 x 2760
QDPL/17	17 ft(5.10 mtr)		935 x 3478

QDSL (Qatar Double Sided Ladder)

Load Capacity : 150 Kg

Model No.	No. of Steps	Height	Weight
QDSL-004	4	1.00 mtr	4.15 kg
QDSL-005	5	1.25 mtr	4.95 kg
QDSL-006	6	1.50 mtr	5.80 kg
QDSL-007	7	1.75 mtr	6.75 kg
QDSL-008	8	2.00 mtr	7.50 kg
QDSL-009	9	2.25 mtr	8.20 kg
QDSL-010	10	2.50 mtr	9.00 kg
QDSL-012	12	3.00 mtr	9.90 kg



1. Easy for storage
2. Safety folding ladder
3. Can work both side
4. Non-skid rubber feet
5. Aluminium hinge



DOUBLE EXTENTION LADDER

Load Capacity : 150 Kg

Model No.	Height Ladder in ft/(mtr)		No. of Steps
	Before (L) Extension	After Extension	
10+10	3.1 mtr	5.3 mtr	10 steps
12+12	3.7 mtr	6.5 mtr	12 steps
14+14	4.3 mtr	7.7 mtr	14 steps
16+16	4.9 mtr	8.9 mtr	16 steps
18+18	5.5 mtr	10.0 mtr	18 steps
20+20	6.1 mtr	11.3 mtr	20 steps

1. Different positions
2. Positive locking hinge
3. Anti-skip and 180° rotatable feet

FIBER GLASS LADDER

Load Capacity : 150 Kg

Model #	No. of Steps	A Standing Height	Weight
AL-FRP003	3	0.90 mtr	4.4 kg
AL-FRP004	4	1.20 mtr	6.8 kg
AL-FRP005	5	1.50 mtr	8.0 kg
AL-FRP006	6	1.80 mtr	9.25 kg
AL-FRP007	7	2.10 mtr	10.3 kg
AL-FRP008	8	2.40 mtr	11.7 kg
AL-FRP010	10	3.00 mtr	13.1 kg
AL-FRP012	12	3.60 mtr	14.5 kg
AL-FRP014	14	4.20 mtr	15.8 kg



1. Non-conductive fiber glass rails
2. Steel rivet construction
3. Molded Plastic heavy-duty slip resistant feet
4. Foldable for easy storage carry handle
5. HolsterTop with Lock-In
6. Accessory System secures tools from falling

HOUSE HOLD LADDER (HD)



1. Perfect height for painting & work around house
2. Large platform for convenient usage
3. Foldable for easy storage carry handle

Load Capacity : 150 Kg

Model #	No. of Steps	A Standing Height	Weight
AL-S02	2	58.00 cm	3.10 kg
AL-S03	3	86.50 cm	3.95 kg
AL-S04	4	113.50 cm	5.60 kg

MULTI PURPOSE LADDER

1. Different positions
2. Positive locking steel hinge
3. Molded plastic feet for slip-resistant



Load Capacity : 150 Kg

Item No.	Step No.	A(cm)	B(cm)	C(cm)	D(cm)	E(cm)	Weight (Kg)	Packing Size(cm)
AY-502	4 x 2	36	67	67	120	240	10.3	67x26x36
AY-503	4 x 3	36	95	95	170	350	12.0	95x26x36
AY-504	4 x 4	36	123	123	225	460	13.5	122x26x36
AY-505	4 x 5	36	150	150	279	570	14.6	151x26x36
A-506	4 x 6	36	178	178	330	680	16.0	180x26x36

STEEL STEP LADDER

1. Steel step ladder
2. Easy for storage
3. Household ladder
4. Non-skid rubber feet



Load Capacity : 150 Kg

Model #	No. of Steps	Package Size	A Standing Height	Weight
SS-2062	2	109x16.5x47 cm	82 cm	2.70 kg
SS-2063	3	141x16.5x48 cm	117 cm	3.60 kg
SS-2064	4	159x16.5x50 cm	141 cm	4.75 kg

STEP LADDER

1. It is light weight enough to move and carry it with you. You can pick it up with one hand.
2. When folded, the gap between the front and rear racks is anti-pinching




Load Capacity : 125 Kg

Item No.	Step No.	A(cm)	B(cm)	C(cm)	D(cm)	Weight (kg)	Packing Size(cm)
AY-JY002	2	88	40	59	37.00	2.1	95.5x37x12
AY-JY003	3	108	60	68	39.50	2.4	118x39.5x12
AY-JY004	4	128	80	83	42.00	2.8	137x43x12
AY-JY005	5	148	100	98	45.50	3.2	159x45x12
AY-JY006	6	168	122	105	47.00	3.7	181x47x12
AY-JY007	7	188	140	119	49.50	4.2	201x49x12
AY-JY008	8	208	160	133	52.00	4.7	222x51x12

TRIPLE EXTENTION LADDER



1. Comply with 131 safety material certificate, environment friendly, high performance
2. A-frame-2-in-1 multifunction
3. It's crafted from premium aluminium alloy. The surface of Aluminium is oxidised makes it resistant to water, rust and corrosion
4. This ladder come with a sturdy weight capacity of up to 330 LBS




Load Capaci : 125 Kg

Item No.	Step No.	A(cm)	B(cm)	C(cm)	D(cm)	Weight (kg)	Packing Size(cm)
AY-306	2 x 6	170	253	337	32	9.4	170x45x16
AY-307	2 x 7	198	310	420	32	10.7	198x45x16
AY-308	2 x 8	225	365	503	32	11.8	225x45x16
AY-309	2 x 9	253	421	589	32	13.4	253x45x16
AY-310	2 x 10	281	477	673	32	14.5	281x45x16
AY-311	2 x 11	309	534	758	32	16.5	338x45x16
AY-313	2 x 13	366	646	926	32	17.8	366x45x16
AY-314	2 x 14	394	702	1010	32	19.0	394x45x16

TELESCOPIC A TYPE



1. Compare with Aluminum Ladder, this Telescopic Ladder is made of heavy duty stainless steel, which has much better load bearing, more sturdy and wear resistant, no need to worry about the ladder bending and wobbling, climb on it more safely.
2. Sleekly designed and manufactured from high-grade 316LN stainless steel, our telescoping ladder also has adequate plastic parts braced with nylon for enhanced longevity and service life.
3. Additionally, the oxidized surface of this extension ladder is meant to prevent the equipment from corrosion-related damages.




Load Capacity : 125 Kg

Item No.	Step No.	A(cm)	B(cm)	C(cm)	D(cm)	Weight (kg)	Packing Size(cm)
AY-ZJ3032S	2 x 5	47.50	82	157	320	13.10	48x15x84
AY-ZJ3038S	2 x 6	47.50	85	185	380	15.30	49x16x87
AY-ZJ3044S	2 x 7	48.00	88	213	440	18.20	49x16x91
AY-ZJ3050S	2 x 8	48.50	91	242	500	21.00	49.5x16x94

TELESCOPIC STRAIGHT



1. Compare with Aluminum Ladder, this Telescopic Ladder is made of heavy duty stainless steel, which has much better load bearing, more sturdy and wear resistant, no need to worry about the ladder bending and wobbling, climb on it more safely.
2. Sleekly designed and manufactured from high-grade 316LN stainless steel, our telescoping ladder also has adequate plastic parts braced with nylon for enhanced longevity and service life.
3. Additionally, the oxidized surface of this extension ladder is meant to prevent the equipment from corrosion-related damages.



Load Capacity : 125 Kg

Item No.	Step No.	A(cm)	B(cm)	C(cm)	Weight (kg)	Packing Size(cm)
AY-ZJ1020S	7	46	65.5	200	6	47.5x6.5x68
AY-ZJ1026S	9	47	72	260	8.1	48x7x74
AY-ZJ1029S	10	47	74	290	9.1	48x7.5x76
AY-ZJ1032S	11	48	78	320	10.3	48x7.5x80
AY-ZJ1038S	13	48	84	380	12.7	49x8x86
AY-ZJ1041S	14	48	87	410	13.9	49x8.5x89
AY-ZJ1044S	15	48.5	90	440	15.3	49.5x9x92

STRAIGHT LADDER

Load Capacity : 150 Kg

1. Simple for using
2. Anti-skip rubber feet

Model #	No of Steps	Extension Height	Weight (cm)	Packing Size(cm)
QHSL-001	11	3 mtr	5.9 kg	48x15x84
QHSL-016	16	4.2 mtr	8.1 kg	49x16x87
QHSL-019	19	5.0 mtr	10 kg	49x16x91
QHSL-023	23	6.0 mtr	11.7 kg	49.5x16x94



ALUMINIUM ESCAPE LADDER



The hooks secure the ladder to the window frame or to the sill of most windows and won't slip off. The ladder hook is retractable, please extend the ladder hook at both ends to the maximum when using.

No assembly or tools are required, easy to use and fast to deploy, built for emergencies. Strong and durable escape ladder, slip-resistant rungs provide a steady foothold, can escape quickly and easily.



Model No.	Height
EL 010	10 mtr
EL 007	7 mtr

DOUBLE SIDE STEP LADDER



Load Capacity : 150 Kg

Item No.	Step No.	A(cm)	B(cm)	C(cm)	D(cm)	Weight (kg)	Packing Size(cm)
AY-F002	2x2	49	59	42	37	1.7	54x37x49 (4PCS/CTN)
AY-F003	3x3	73	78	60	38	2.4	80x39x49 (4PCS/CTN)

SCAFFOLDING LADDER 006



Load Capacity : 125 Kg

Item No.	Step No.	A(cm)	B(cm)	C(cm)	D(cm)	Weight (kg)	Packing Size(cm)
AY-J0206	2x6	148	160	160	276	15.7	168x16x42
AY-J0207	2x7	148	180	180	296	15.5	168x16x45

FIBER GLASS PLATFORM LADDER

1. Non-conductive fiberglass rails
2. Steel rivet construction
3. Molded Plastic heavy-duty resistant feet
4. Foldable for easy storage carry handle
5. HolsterTop with Lock-In
6. Accessory System secures tools from falling



Load Capacity : 150 Kg

Model #	No. of Steps	A Standing Height	Weight
AL-FRP003	3	185 cm	13.0 kg
AL-FRP004	4	215 cm	14.2 kg
AL-FRP005	5	243 cm	15.6 kg
AL-FRP006	6	272 cm	17.2 kg
AL-FRP007	7	301 cm	18.6 kg
AL-FRP008	8	330 cm	20.0 kg

STOOL LADDER 003



Load Capacity : 150 Kg

Model No:	AY-H003BS
No. of Steps:	3
Product Use Height:	69 cm
Open Size:	46x69x86 cm
Folding Size:	46x5.5x91 cm
Packing Size:	49x8x94 cm/ctn

A TYPE ALUMINIUM PLATFORM

1. 150kg industrial loading
2. Steel rivet construction
3. Molded plastic heavy-duty slip resistant feet
4. Foldable for easy storage carry handle
5. HolsterTop with Lock-In
6. Can also add handrail




Load Capacity : 150 Kg

Model #	No. of Steps	A Standing Height	Package Size	Weight
AL-PL003	3	185 cm	189x54x15	10 kg
AL-PL004	4	215 cm	219x55x15	11.2 kg
AL-PL005	5	243 cm	250x57x15	12.6 kg
AL-PL006	6	272 cm	280x58x15	14.2 kg
AL-PL007	7	301 cm	311x60x15	15.6 kg
AL-PL008	8	330 cm	341x61x15	17 kg

WORK PLAT FORM LADDER 002-(HD)

1. Easy to adjust the height, and no need to assemble.
2. This platform is constructed with high strength aluminum which ensures the safety.
3. Large load capacity of 330 lbs, saving space while folded.
4. Step ladder stripe design makes it anti-skidding, and keep you safe even when you use it during rainy days.



Load Capacity : 125 Kg

Item No.	Step No.	A(cm)	B(cm)	C(cm)	D(cm)	E(cm)	Weight (cm)	Packing Size(cm)
AY-X001	1	78	30	50	112	40	3.6	79x15x41
AY-X001B	1	69	30	50	101	40	3.6	75x15x40
AY-X002	1	88	30	50	118	38	4.8	90.5x17x38
AY-X002B	2	88	30	77	118	38	5.6	90x17x42
AY-X002C	2	99	30	77	151	41	6	104x17x41
AY-X002D	1	90	60	60	133	69	7.9	95x16x69.5
AY-X002E	1	60	60	50	95	68	6	65x17x68

ROYAL INDIA-A TYPE (HD) 3 TO 14 STEPS

1. Multi-function
2. Mighty features
3. Can work as an extension ladder
4. Non-skid rubber feet.
5. Aluminium hinge



Load Capacity : 150 Kg

MODEL: ROYAL INDIA
STYLE : Double Extension Rigid Ladder

Model No.	HEIGHT OF LADDER in FT/(mtr)		Open size (AXB) mm
	Before (L) Extension	After Extension	
RDPL/3	3ft (0.90mtr)	5 ft (1.5 mtr)	385 x 860
RDPL/4	4ft (1.20mtr)	7 ft(2.1 mtr)	420 x 745
RDPL/5	5ft (1.50mtr)	9 ft (2.70 mtr)	460 x 975
RDPL/6	6ft (1.80mtr)	11 ft (3.30 mtr)	500 x 1175
RDPL/7	7ft (2.10mtr)	13 ft (3.90 mtr)	541 x 1360
RDPL/8	8ft (2.40mtr)	15 ft (4.50 mtr)	577 x 1552
RDPL/9	9ft (2.70mtr)	17 ft (5.10 mtr)	620 x 1754
RDPL/10	10ft (3.00mtr)	19 ft (5.70mtr)	659 x 1940
RDPL/12	12ft (3.60mtr)		733 x 2370
RDPL/14	14ft (4.20mtr)		810 x 2760



 DECOTECH DECORATION & BUILDING MATERIALS
P.O. Box: 11218, Street No. 12, Gate No. 85
Industrial Area, Doha - Qatar

 +974 4469 7139

 +974 3318 6432

 sales1@decotechqatar.com
reji@decotechqatar.com

A PRODUCT OF HIGHEST QUALITY