




CX 12



CX 12					RC				
	m.s.	i.s.			m.s.	i.s.			
Engine Power	kW	HP	115 - 119	154 - 160	Rotary Max Torque	Nm	lb * ft	13.000	9,588
Emission Level	-	-	Stage 3A/Tier 3 - Stage 5/Tier 4f		Rotary Max Speed	rpm	290		
Feed Stroke	mm	ft-in	4.000	13' 1"	Clamping Range	mm	in	45 - 365	1" 3/4 - 1' 2"
Feed Force	daN	lbs	6.500	14,613	Weight	ton	10 - 12,5		
Retract Force	daN	lbs	12.000	26,977					

CX 15




CX 15		m.s.	i.s.				m.s.	i.s.	RC	
Engine Power	kW	HP	168 - 180	225 - 241			Rotary Max Torque	Nm	lb * ft	20.000 14,751
Emission Level	-	-	Stage 3A/Tier 3 - Stage 5/Tier 4f				Rotary Max Speed	rpm		210
Feed Stroke	mm	ft-in	4.000 - 7.000	13' 1" - 22' 11"			Clamping Range	mm	in	45 - 365 1" 3/4 - 1' 2"
Feed Force	daN	lbs	7.000	15,737			Weight	ton	15 - 17	
Retract Force	daN	lbs	15.000	33,721						

CX 15A




CX 15A				m.s.	i.s.				
Engine Power	kW	HP	119 - 140	160 - 188					
Emission Level	-	-	Stage 3A/Tier 3 - Stage 5/Tier 4f						
Feed Stroke	mm	ft-in	6.000	19' 8"					
Feed Force	daN	lbs	6.500	14,610					
Retract Force	daN	lbs	15.000	33,720					

				m.s.	i.s.	RC			
Rotary Max Torque	Nm	lb*ft	13.000	9,588					
Rotary Max Speed	rpm		290						
Clamping Range	mm	in	45 - 325	1" 3/4 - 12" 3/4					
Weight	ton		14 - 16						



CX 30



CX 30				m.s.	i.s.				
Engine Power	kW	HP	201 - 209	269 - 280					
Emission Level	-	-	Stage 3A/Tier 3 - Stage 5/Tier 4f						
Feed Stroke	mm	ft-in	4.500 - 7.000	14' 9" - 22' 11"					
Feed Force	daN	lbs	12.000	26,977					
Retract Force	daN	lbs	30.000	67,443					
				m.s.	i.s.	RC			
Rotary Max Torque	Nm	lb * ft	37.500	27,659					
Rotary Max Speed	rpm		150						
Clamping Range	mm	in	45 - 365	1" 3/4 - 1' 2"					
Weight	ton		20 - 23						

CX 50



CX 50				RC			
	m.s.	i.s.		m.s.	i.s.		
Engine Power	kW	HP	272 - 291	364 - 390	Rotary Max Torque	Nm	lb * ft
Emission Level	-	-	Stage 3A/Tier 3 - Stage 5/Tier 4f		31.000	22,864	
Feed Stroke	mm	ft-in	7.500	24' 7"	Rotary Max Speed	rpm	
Feed Force	daN	lbs	20.000	44,962	180	Clamping Range	mm
Retract Force	daN	lbs	50.000	112,404	60 - 520	2" 3/8 - 1' 8"	
Weight		ton	35 - 37				


CX 20 GC


RC
GC


CX 20 GC		m.s.	i.s.			m.s.	i.s.		
Engine Power	kW	HP	168 - 180	225 - 241		Rotary Max Torque	Nm	lb*ft	13.000 9,588
Emission Level	-	-	Stage 3A/Tier 3 - Stage 5/Tier 4f			Rotary Max Speed	rpm 350		
Feed Stroke	mm	ft-in	5.200	17'		Clamping Range	mm	in	85 - 205 3'' 3/8 - 8'' 1/16
Feed Force	daN	lbs	5.000 - 10.000	11,240 - 22,481		Carousel Capacity	-	-	45
Retract Force	daN	lbs	14.500 - 19.500	32,597 - 43,838		Length of Rods	mm	in	3.000 9' 10''
Weight	ton		19 - 22			Rod Diameter	mm	in	114 4'' 1/2



CX-T 10




CX-T 10					RC				
	m.s.	i.s.				m.s.	i.s.		
Truck (axles)	-	-	4x4 (2)		Retract Force	daN	lbs	9.000	20,233
Engine Power	kW	HP	119 - 140	160 - 188	Rotary Max Torque	Nm	lb*ft	13.000	9,588
Emission Level	-	-	Stage 3A/Tier 3 - Stage 5/Tier 4f		Rotary Max Speed	rpm		290	
Feed Stroke	mm	ft-in	4.000	13' 1"	Clamping Range	mm	in	45 - 365	1" 3/4 - 1' 2"
Feed Force	daN	lbs	6.500	14,613	Weight	ton		10 - 12	

CX-T 15




RC



CX-T 15				RC			
	m.s.	i.s.		m.s.	i.s.		
Truck (axles)	-	-	4x4 - 6x4 - 6x6 (2/3)	Rotary Max Torque	Nm	lb * ft	20.000 14,751
Engine Power	kW	HP	168 - 690 225 - 925	Rotary Max Speed	rpm		210
Emission Level	-	-	Stage 3A/Tier 3 - Stage 5/Tier 4f	Clamping Range	mm	in	45 - 365 1" 3/4 - 1' 2"
Feed Stroke	mm	ft-in	7.000 22' 11'	Compressor Flow	Lt/min	cfm	33.000 1,165
Feed Force	daN	lbs	7.000 15,737	Compressor Pressure	bar	psi	35 508
Retract Force	daN	lbs	15.000 33,721	Weight	ton		14 - 25

CX-T 20




CX-T 20	m.s.	i.s.				m.s.	i.s.		
Truck (axles)	-	-	6x4 - 6x6 - 8x4 (3/4)			Rotary Max Torque	Nm	lb * ft	37.500 27,659
Engine Power	kW	HP	205 - 727	274 - 974		Rotary Max Speed	rpm		150
Emission Level	-	-	Stage 3A/Tier 3 - Stage 5/Tier 4f			Clamping Range	mm	in	45 - 365 1" 3/4 - 1' 2"
Feed Stroke	mm	ft-in	7.000	22' 11'		Compressor Flow	Lt/min	cfm	33.000 1,165
Feed Force	daN	lbs	12.000	26,977		Compressor Pressure	bar	psi	35 508
Retract Force	daN	lbs	20.000	44,962		Weight	ton		20 - 26

CX-T 30



RC



CX-T 30				RC			
	m.s.	i.s.		m.s.	i.s.		
Truck (axles)	-	-	6x4 - 6x6 - 8x4 - 8x6 (3/4)				
Engine Power	kW	HP	205 - 727	274 - 974			
Emission Level	-	-	Stage 3A/Tier 3 - Stage 5/Tier 4f				
Feed Stroke	mm	ft-in	7.000	22' 11'			
Feed Force	daN	lbs	12.000	26,977			
Retract Force	daN	lbs	30.000	67,443			
Rotary Max Torque	Nm	lb * ft	37.500	27,659			
Rotary Max Speed	rpm		150				
Clamping Range	mm	in	45 - 365	1" 3/4 - 1' 2"			
Compressor Flow	Lt/min	cfm	33.000	1,165			
Compressor Pressure	bar	psi	35	508			
Weight	ton		21 - 27				

**CX 12****CX 15****CX 15A****CX 20****CX 20A****CX 30****CX 50****CX 20 GC****CX-T 10****CX-T 15****CX-T 20****CX-T 30**



EXPLORATION
COMACCHIO



COMACCHIOX.COM

Comacchio S.p.A.
Via Callalta, 24/B
31039 Riese Pio X (TV) Italy

T +39 0423 7585
F +39 0423 755592
info@comacchiox.com



UNI EN ISO 9001:2015 / ISO 14001:2015



Specifications shown are only indicative and subjected to change without prior notice.

Edition 06-2026