

CX 10



CX 10	m.s.	i.s.			m.s.	i.s.	DD		
Engine Power	kW	HP	115 - 119	154 - 160	Rotary Max Torque	Nm	lb*ft	8.350	6,159
Emission Level	-	-	Stage 3A/Tier 3 - Stage 5/Tier 4f		Rotary Max Speed	rpm		1.500	
Feed Stroke	mm	ft-in	4.000	13' 1"	Chuck Passage	mm	in	124	4" 7/8
Feed Force	daN	lbs	6.500	14,613	Fluid Circulation Pump	l/min-bar	gal/min-psi	142 - 70	37.5 - 1,015
Retract Force	daN	lbs	9.000	20,233	Wire-line winch	m	ft	1.200	3,937'
Weight	ton	9 - 11,5			Max. pull up force	kN	lbs	10	2,205

CX 12



CX 12				m.s.	i.s.	DD			
Engine Power	kW	HP	115 - 119	154 - 160		Rotary Max Torque	Nm	lb * ft	8.350 6,159
Emission Level	-	-	Stage 3A/Tier 3 - Stage 5/Tier 4f			Rotary Max Speed	rpm		1.500
Feed Stroke	mm	ft-in	4.000	13' 1"		Chuck Passage	mm	in	124 4" 7/8
Feed Force	daN	lbs	6.500	14,613		Fluid Circulation Pump	l/min-bar	gal/min-psi	142 - 70 37.5 - 1,015
Retract Force	daN	lbs	12.000	26,977		Wire-line winch	m	ft	1.200 3,937'
Weight	ton		10 - 12,5			Max. pull up force	kN	lbs	10 2,205

CX 15




CX 15	m.s.	i.s.			m.s.	i.s.	DD		
Engine Power	kW	HP	168 - 180	225 - 241	Rotary Max Torque	Nm	lb*ft	15.200	11,211
Emission Level	-	-	Stage 3A/Tier 3 - Stage 5/Tier 4f		Rotary Max Speed	rpm		1.250	
Feed Stroke	mm	ft-in	4.000 - 5.000	13' 1" - 16' 4"	Chuck Passage	mm	in	124	4" 7/8
Feed Force	daN	lbs	7.000	15,737	Fluid Circulation Pump	l/min-bar	gal/min-psi	142 - 70	37.5 - 1,015
Retract Force	daN	lbs	15.000	33,721	Wire-line winch	m	ft	2.200	7,217' 10"
Weight	ton		15 - 17		Max. pull up force	kN	lbs	13	2,866

CX 20




CX 20		m.s.	i.s.				m.s.		i.s.		DD	
Engine Power	kW	HP	168 - 180		225 - 241		Rotary Max Torque		Nm	lb * ft	15.200	11,211
Emission Level	-	-	Stage 3A/Tier 3 - Stage 5/Tier 4f					Rotary Max Speed		rpm1.250		
Feed Stroke	mm	ft-in	4.500 - 7.000		14' 9" - 22' 11"		Chuck Passage		mm	in	124	4" 7/8
Feed Force	daN	lbs	12.000		26,977		Fluid Circulation Pump		l/min-bar	gal/min-psi	142 - 70	37.5 - 1,015
Retract Force	daN	lbs	20.000		44,962		Wire-line winch		m	ft	2.200	7,217' 10"
Weight	ton		17 - 19				Max. pull up force		kN	lbs	13	2,866

CX 20P



CX 20P	m.s.	i.s.		m.s.	i.s.	DD			
Engine Power	kW	HP	201 - 209	269 - 280	Rotary Max Torque	Nm	lb*ft	15.200	11,211
Emission Level	-	-	Stage 3A/Tier 3 - Stage 5/Tier 4f		Rotary Max Speed	rpm		1.250	
Feed Stroke	mm	ft-in	4.500	14' 9"	Chuck Passage	mm	in	124	4" 7/8
Feed Force	daN	lbs	12.000	26,977	Fluid Circulation Pump	l/min-bar	gal/min-psi	142 - 70	37.5 - 1,015
Retract Force	daN	lbs	20.000	44,962	Wire-line winch	m	ft	2.200	7,217' 10"
Weight	ton	19 - 22			Max. pull up force	kN	lbs	13	2,866


CX 30



CX 30				m.s.	i.s.	DD			
Engine Power	kW	HP	201 - 209	269 - 280		Rotary Max Torque	Nm	lb * ft	15.200 11,211
Emission Level	-	-	Stage 3A/Tier 3 - Stage 5/Tier 4f			Rotary Max Speed	rpm		1.250
Feed Stroke	mm	ft-in	4.500	14' 9"		Chuck Passage	mm	in	124 4" 7/8
Feed Force	daN	lbs	12.000	26,977		Fluid Circulation Pump	l/min-bar	gal/min-psi	142 - 70 37.5 - 1,015
Retract Force	daN	lbs	30.000	67,443		Wire-line winch	m	ft	2.200 7,217' 10"
Weight	ton		20 - 23			Max. pull up force	kN	lbs	13 2,866




CX-T 10




CX-T 10				m.s.	i.s.				
Truck (axles)	-	-	4x4 (2)						
Engine Power	kW	HP	119 - 140	160 - 188					
Emission Level	-	-	Stage 3A/Tier 3 - Stage 5/Tier 4f						
Feed Stroke	mm	ft-in	4.000	13' 1"					
Feed Force	daN	lbs	6.500	14,613					
Retract Force	daN	lbs	9.000	20,233					
Weight	ton		10 - 12						
				m.s.	i.s.	DD			
Rotary Max Torque	Nm	lb * ft	8.350	6,159					
Rotary Max Speed	rpm		1.500						
Chuck Passage	mm	in	124	4" 7/8					
Fluid Circulation Pump	l/min-bar	gal/min-psi	142 - 70	37,5 - 1,015					
Wire-line winch	m	ft	1.200	3,937'					
Max. pull up force	kN	lbs	10	2,205					

CX-T 15




CX-T 15				m.s.	i.s.	DD			
Truck (axles)		-	-	4x4 - 6x4 - 6x6 (2/3)		Rotary Max Torque		Nm	lb * ft
Engine Power		kW	HP	168 - 205	225 - 274	Rotary Max Speed		rpm	1.250
Emission Level		-	-	Stage 3A/Tier 3 - Stage 5/Tier 4f		Chuck Passage		mm	in
Feed Stroke		mm	ft-in	4.000 - 5.000	13' 1" - 16' 4"	Fluid Circulation Pump		l/min-bar	gal/min-psi
Feed Force		daN	lbs	7.000	15,737	Wire-line winch		m	ft
Retract Force		daN	lbs	15.000	33,721	Max. pull up force		kN	lbs
Weight		ton		14 - 16				13	2,866

CX-T 20



CX-T 20	m.s.	i.s.	DD						
Truck (axles)	-	-	6x6 - 8x4 - 8x6 (3/4)		Rotary Max Torque	Nm	lb*ft	15.200	11,211
Engine Power	kW	HP	205 - 225	274 - 301	Rotary Max Speed	rpm		1.250	
Emission Level	-	-	Stage 3A/Tier 3 - Stage 5/Tier 4f		Chuck Passage	mm	in	124	4" 7/8
Feed Stroke	mm	ft-in	4.500	14' 9"	Fluid Circulation Pump	l/min-bar	gal/min-psi	142 - 70	37.5 - 1,015
Feed Force	daN	lbs	12.000	26,977	Wire-line winch	m	ft	2.200	7,217' 10"
Retract Force	daN	lbs	20.000	44,962	Max. pull up force	kN	lbs	13	2,866
Weight	ton	18 - 20							

CX-T 30



CX-T 30				m.s.	i.s.	DD			
Truck (axles)		-	-	6x6 - 8x4 - 8x6 (3/4)		Rotary Max Torque		Nm	lb * ft
Engine Power		kW	HP	205 - 225		15.200		11,211	
Emission Level		-	-	Stage 3A/Tier 3 - Stage 5/Tier 4f		Rotary Max Speed		rpm	
Feed Stroke		mm	ft-in	4.500		1.250		Chuck Passage	
Feed Force		daN	lbs	12.000		26,977		mm	
Retract Force		daN	lbs	30.000		67,443		in	
Weight		ton		20 - 22		Fluid Circulation Pump		l/min-bar	gal/min-psi
						142 - 70		37,5 - 1,015	
						Wire-line winch		m	ft
						2.200		7,217' 10"	
						Max. pull up force		kN	lbs
						13		2,866	